

WEBSURV PROD tables and columns  
 Addl Case Tables  
 SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
<b>This tables are in DWPROD only. They are created from procedures (ran nightly) that combine information from several tables. These tables are related to HEPATITIS B CASE MANAGEMENT OF INFANTS AND CONTACTS.</b>			
CASE	TABLE COMMENTS: This entity defines each case in the database.		
CASE	SURVWEB_CASE_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_CASE.
CASE	TYPE_CASE		Type of Case - INFANT or CONTACT
CASE	AGE_AT_REPORT		Age at time of report
CASE	AGE_UNIT		Age Type (years, months) associated with age at diagnosis
CASE	HBIG_DATE		Date of HBIG (from MOHSAIC)
CASE	HBIG_TIME		Time HBIG was given.
CASE	HEPB_1_DOSE_TIME		Time first dose of Hepatitis B vaccine was given.
CASE	HEPB_1_DOSE_DATE		Date for first Hep B Vaccine (from MOHSAIC)
CASE	HEPB_2_DOSE_DATE		Date for second Hep B Vaccine (from MOHSAIC)
CASE	HEPB_3_DOSE_DATE		Date for third Hep B Vaccine (from MOHSAIC)
CASE	HEPB_4_DOSE_DATE		Date for fourth Hep B Vaccine (from MOHSAIC)
CASE	HEPB_5_DOSE_DATE		Date for fifth Hep B Vaccine (from MOHSAIC)
CASE	HEPB_6_DOSE_DATE		Date for sixth Hep B Vaccine (from MOHSAIC)
CASE	CASE_LOCATOR_ID		Unique identifier for the locator associated to the case
CASE	LATEST_TRANSFER		Latest Transfer (IN or OUT)
CASE	LATEST_TRANSFER_FROM_TO		The state or country where the transfer came from or to.
CASE	LATEST_TRANSFER_COUNTRY		The country of transfer if OUT OF STATE
CASE	LATEST_TRANSFER_DATE		The entry date for the latest transfer record.
CASE	LATEST_JURISDICTION		Latest jurisdiction
CASE	LATEST_JURISDICTION_TYPE		Jurisdiction type (case, provider, etc.) for the latest counted jurisdiction
CASE	BIRTH_JURISDICTION		
CASE	LATEST_RESOLUTION		Indicates the latest (desc RESOLUTION DATE) resolution entered in the SURVWEB_CASE_RESOLUTION table.
CASE	LATEST_RESOLUTION_DATE		Date of Resolution

WEBSURV PROD tables and columns

Add Case Tables

SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
CASE	LATEST_CLOSED_REASON		Indicates the latest (desc RESOLUTION DATE) Closed Reason entered in the SURVWEB_CASE_RESOLUTION table. IF THE LATEST RESOLUTION IS CLOSED.
CASE	LATEST_RESOLUTION_USERID		Specifies user ID of the person who entered the latest resolution in the SURVWEB_CASE_RESOLUTION table.
CASE	DATE_ASSIGNED		Date case assigned to Investigator
CASE	DATE_REPORT		Date of report
CASE	DATE_ENROLLED		Date the case was enrolled in case management.
CASE	PROSPECTIVE_RETROSPECTIVE		If Date enrolled is prior to Infant's DOB, set to PROSPECTIVE; if date enrolled is after Infant's DOB, set to RETROSPECTIVE. Only on INFANT cases.
CASE	SURVWEB_PARTY_ID		Party ID of the person with the case
CASE	REPORTER_NAME		Name of the reporter
CASE	REPORTER_ADDRESS		Address of the reporter
CASE	REPORTER_CITY		City from the address of the reporter
CASE	REPORTER_STATE		State from the address of the reporter
CASE	REPORTER_ZIP		Zip from the address of the reporter
CASE	REPORTER_COUNTY		County from the address of the report
CASE	CASE_ADDRESS		Address of the Case
CASE	CASE_CITY		City from the address of the case
CASE	CASE_STATE		State from the address of the case
CASE	CASE_ZIP		Zip from the address of the case
CASE	CASE_COUNTY		County from the address of the case
CASE	LPHA_INVESTIGATOR_NAME		Investigator Name
CASE	LPHA_INVESTIGATOR_PARTY_ID		Investigator Party ID
CASE	SURVWEB_CONDITION_ID		Condition ID that the case is linked to
CASE	DELIVERY_HOSPITAL_PARTY_ID		Delivery Hospital Party ID
CASE	DELIVERY_HOSPITAL_NAME		Delivery Hospital Name
CASE	DELIVERY_HOSPITAL_ADDRESS		Address of the Delivery Hospital
CASE	DELIVERY_HOSPITAL_CITY		City from the address of the hospital
CASE	DELIVERY_HOSPITAL_STATE		State from the address of the hospital
CASE	DELIVERY_HOSPITAL_ZIP		Zip from the address of the hospital
CASE	HBSAG_1_DATE		Date of the first HBSAG test
CASE	HBSAG_1_RESULT		Result of the first HBSAG test
CASE	ANTI_HBS_1_DATE		Date of the first AntiHBS test

WEBSURV PROD tables and columns

Add Case Tables

SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
CASE	ANTI_HBS_1_RESULT		Result of the first AntiHBS test
CASE	HBSAG_2_DATE		Date of the second HBSAG test
CASE	HBSAG_2_RESULT		Result of the second HBSAG test
CASE	ANTI_HBS_2_DATE		Date of the second AntiHBS test
CASE	ANTI_HBS_2_RESULT		Result of the second AntiHBS test
CASE	HBSAG_3_DATE		Date of the third HBSAG test
CASE	HBSAG_3_RESULT		Result of the third HBSAG test
CASE	ANTI_HBS_3_DATE		Date of the third AntiHBS test
CASE	ANTI_HBS_3_RESULT		Result of the third AntiHBS test
CASE	LATEST_DHSS_REGION		DHSS Region from the latest jurisdiction
CASE	LATEST_CONTRACT_REGION		Contract Region from the latest jurisdiction
CASE	NEXT_DUE_DATE		Next Due Date for the Vaccine
CASE	SCHEDULE		Is the person on schedule or overdue for Hep B vaccine?
CASE	HEPB_1_DOSE_COMBINATION		Was the dose a combination vaccine.
CASE	HEPB_2_DOSE_COMBINATION		Was the dose a combination vaccine.
CASE	HEPB_3_DOSE_COMBINATION		Was the dose a combination vaccine.
CASE	HEPB_4_DOSE_COMBINATION		Was the dose a combination vaccine.
CASE	HEPB_5_DOSE_COMBINATION		Was the dose a combination vaccine.
CASE	HEPB_6_DOSE_COMBINATION		Was the dose a combination vaccine.
CASE	MOTHER_NAME		Name of the Mother for infant
CASE	CDC_ENROLL_YEAR		Year based on the enrolled date for CDC
CASE	CDC_REPORT_YEAR		Year based on the report date for CDC
CASE	CDC_BIRTH_YEAR		Jurisdiction from the Hep B Pregnancy at the time of OUTCOME.
CASE	TIME_BT_BIRTH_HBIG		Time between BIRTH and the HBIG administration
CASE	TIME_BT_BIRTH_FIRST_DOSE		Time between BIRTH and the First Dose administration
CASE	TIME_BT_BIRTH_SEC_DOSE		Time between BIRTH and the Second Dose administration
CASE	TIME_BT_BIRTH_THIRD_DOSE		Time between BIRTH and the Third Dose administration
CASE	TIME_BT_BIRTH_FOURTH_DOSE		Time between BIRTH and the Fourth Dose administration
CASE	HEPB_MORE_THAN_6_DOSES		Did the person receive more than 6 doses of Hep B vaccine
CASE	HEPB_1_DOSE_VALID		Valid/Invalid for the Dose of Hep B Vaccine
CASE	HEPB_2_DOSE_VALID		Valid/Invalid for the Dose of Hep B Vaccine
CASE	HEPB_3_DOSE_VALID		Valid/Invalid for the Dose of Hep B Vaccine
CASE	HEPB_4_DOSE_VALID		Valid/Invalid for the Dose of Hep B Vaccine

WEBSURV PROD tables and columns

Add Case Tables

SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
CASE	HEPB_5_DOSE_VALID		Valid/Invalid for the Dose of Hep B Vaccine
CASE	HEPB_6_DOSE_VALID		Valid/Invalid for the Dose of Hep B Vaccine
CASE	HEPB_1_DOSE_LOT_NUMBER		Lot Number for the Dose of Hep B Vaccine
CASE	HEPB_2_DOSE_LOT_NUMBER		Lot Number for the Dose of Hep B Vaccine
CASE	HEPB_3_DOSE_LOT_NUMBER		Lot Number for the Dose of Hep B Vaccine
CASE	HEPB_4_DOSE_LOT_NUMBER		Lot Number for the Dose of Hep B Vaccine
CASE	HEPB_5_DOSE_LOT_NUMBER		Lot Number for the Dose of Hep B Vaccine
CASE	HEPB_6_DOSE_LOT_NUMBER		Lot Number for the Dose of Hep B Vaccine
CASE	HEPB_1_DOSE_MANUFACTURE		Manufacturer for the Dose of Hep B Vaccine
CASE	HEPB_2_DOSE_MANUFACTURE		Manufacturer for the Dose of Hep B Vaccine
CASE	HEPB_3_DOSE_MANUFACTURE		Manufacturer for the Dose of Hep B Vaccine
CASE	HEPB_4_DOSE_MANUFACTURE		Manufacturer for the Dose of Hep B Vaccine
CASE	HEPB_5_DOSE_MANUFACTURE		Manufacturer for the Dose of Hep B Vaccine
CASE	HEPB_6_DOSE_MANUFACTURE		Manufacturer for the Dose of Hep B Vaccine
CASE	HEPB_1_VACCINE_NAME		Vaccine Name for the Dose of Hep B Vaccine
CASE	HEPB_2_VACCINE_NAME		Vaccine Name for the Dose of Hep B Vaccine
CASE	HEPB_3_VACCINE_NAME		Vaccine Name for the Dose of Hep B Vaccine
CASE	HEPB_4_VACCINE_NAME		Vaccine Name for the Dose of Hep B Vaccine
CASE	HEPB_5_VACCINE_NAME		Vaccine Name for the Dose of Hep B Vaccine
CASE	HEPB_6_VACCINE_NAME		Vaccine Name for the Dose of Hep B Vaccine
CASE	CASE_ENTRY_DATETIME		Specifies date/time CASE record was originally entered into SURVWEB_CASE table.
CASE	CASE_ENTRY_USERID		Specifies user ID of the person who originally entered into SURVWEB_CASE table.
CASE	ANTI_HBC_TOTAL1_DATE		Date of the first ANTI_HBC_TOTAL test
CASE	ANTI_HBC_TOTAL1_RESULT		Result of the first ANTI_HBC_TOTAL test
CASE	ANTI_HBC_TOTAL2_DATE		Date of the second ANTI_HBC_TOTAL test
CASE	ANTI_HBC_TOTAL2_RESULT		Result of the second ANTI_HBC_TOTAL test
CASE	ANTI_HBC_TOTAL3_DATE		Date of the third ANTI_HBC_TOTAL test
CASE	ANTI_HBC_TOTAL3_RESULT		Result of the third ANTI_HBC_TOTAL test
CASE	ODS_DATETIME		Date record inserted into ODS
CASE_PARTIES	TABLE COMMENTS: This entity captures all parties associated to the condition (PERSON, REPORTER, ETC) in addition to the primary name and address for the party.		
CASE_PARTIES	SURVWEB_CASE_PARTY_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_PARTY.
CASE_PARTIES	SURVWEB_CASE_ID	FK	Identifies the condition the record is associated with
CASE_PARTIES	SURVWEB_PARTY_ID	FK	Identifies the party for this record.

WEBSURV PROD tables and columns

Add Case Tables

SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
CASE_PARTIES	PARTY_NAME		Name of the Person or Organization (LN, FN or Organization Name)
CASE_PARTIES	PARTY_ADDRESS		Address Line 1 for the Party
CASE_PARTIES	PARTY_CITY		City for the Address for the Party
CASE_PARTIES	PARTY_STATE		State for the Address for the Party
CASE_PARTIES	PARTY_ZIP		Zip for the Address for the Party
CASE_PARTIES	PARTY_COUNTY		County for the Address for the Party
CASE_PARTIES	CONTACT_FIRST_NAME		First Name of Contact Person
CASE_PARTIES	CONTACT_LAST_NAME		Last Name of Contact Person
CASE_PARTIES	PARTY_TYPE		Type of party, CLIENT, PROVIDER, etc.
CASE_PARTIES	PRIMARY_PROVIDER		Indicates if the PROVIDER is PRIMARY
CASE_PARTIES	MOTHER_PARTY_ID		SURVWEB_PARTY_ID that identifies the MOTHER associated with the case.
CASE_PARTIES	SERVICE_PROVIDED		Type of Service Provided - Delivery Hospital, Pediatric Practice, etc.
CASE_PARTIES	SERVICE_PROVIDED_OTHER		If type of service is OTHER, specify.
CASE_PARTIES	DATE_OF_VISIT		Date of first visit to the medical provider
CASE_PARTIES	ODS_DATETIME		Date record inserted into ODS
CASE_TESTS	TABLE COMMENTS: This entity captures information about the laboratory as well as the test type and result.		
CASE_TESTS	SURVWEB_CASE_TESTS_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_TESTS.
CASE_TESTS	SURVWEB_CASE_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
CASE_TESTS	LABORATORY_ID		Survweb_Party_id of the Laboratory associated to the test.
CASE_TESTS	LABORATORY_NAME		Laboratory Name
CASE_TESTS	LABORATORY_ADDRESS		Address of the Laboratory
CASE_TESTS	LABORATORY_CITY		City for the Address for the Laboratory
CASE_TESTS	LABORATORY_COUNTY		County for the Address for the Laboratory
CASE_TESTS	LABORATORY_STATE		State for the Address for the Laboratory
CASE_TESTS	LABORATORY_ZIP		Zip for the address for the Laboratory
CASE_TESTS	TEST_TYPE_OTHER		Test type if not in lookup values.
CASE_TESTS	QUALITATIVE_RESULT		Qualitative Result (Positive, Negative, etc)
CASE_TESTS	QUALITATIVE_RESULT_OTHER		Qualitative Result if not in lookup value
CASE_TESTS	QUANTITATIVE_RESULT		Numeric result
CASE_TESTS	QUANTITATIVE_RESULT_UNIT		Unit for numeric result
CASE_TESTS	REFERENCE_RANGE		Reference range for the quantitative result
CASE_TESTS	RESULT_DATE		Identifies the date of the outcome result.

WEBSURV PROD tables and columns

Add Case Tables

SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
CASE_TESTS	SPECIMEN_DATE		Identifies the date the specimen was obtained from the client.
CASE_TESTS	TEST_TYPE		Type of diagnostic procedure/test. Example: RPR, VDRL, MHA-TP, etc.
CASE_TESTS	ODS_DATETIME		Date record inserted into ODS