

WEBSURV PROD tables and columns  
Addl Field Record Tables  
SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
<b>This tables are in DWPROD only. They are created from procedures (ran nightly) that combine information from several tables. These tables are related to FIELD RECORDS.</b>			
FIELD_RECORD	TABLE COMMENTS: This entity captures information about the Field Record on the person.		
FIELD_RECORD	SURVWEB_FIELD_RECORD_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_FIELD_RECORD
FIELD_RECORD	SURVWEB_PARTY_ID	FK	The unique identifier (primary key) of the SURVWEB_PARTY to reference the relationship between the parent record and the child record, is the foreign key in the child table.
FIELD_RECORD	FIELD_RECORD_LOCATOR_ID		Locator ID - primary postal
FIELD_RECORD	DESCRIPTION		Description of Person
FIELD_RECORD	EMPLOYMENT_INFORMATION		Employment Information of Person
FIELD_RECORD	OTHER_INFORMATION		Other information of Person
FIELD_RECORD	INTERVIEW_ONLY_FR		Was this an Interview Only FR
FIELD_RECORD	INITIATING_AGENCY		Who was the initiating agency?
FIELD_RECORD	INVESTIGATING_AGENCY		Who was the Investigating agency?
FIELD_RECORD	FIELD_RECORD_TYPE		Field Record Type - only used for conversion of STD MIS field records
FIELD_RECORD	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
FIELD_RECORD	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
FIELD_RECORD	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
FIELD_RECORD	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
FIELD_RECORD	LATEST_ASSIGNED_WORKER_NUMBER		Latest Assigned Worker Number
FIELD_RECORD	LATEST_ASSIGNED_DATE		Latest Assigned Date
FIELD_RECORD	CDC_WEEK_ASSIGNED		CDC Week for Latest Assigned Date
FIELD_RECORD	CDC_YEAR_ASSIGNED		CDC Year for Latest Assigned Date
FIELD_RECORD	CDC_MONTH_NUM_ASSIGNED		CDC Month (Number) for Latest Assigned Date
FIELD_RECORD	CDC_MONTH_NAM_ASSIGNED		CDC Month (Name) for Latest Assigned Date
FIELD_RECORD	QA_COMPLETE		STD Staff have completed QA review.

WEBSURV PROD tables and columns  
Addl Field Record Tables  
SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
FIELD_RECORD	FIELD_RECORD_ADDRESS		Address associated to the field record
FIELD_RECORD	FIELD_RECORD_CITY		City for the Address associated to the field record
FIELD_RECORD	FIELD_RECORD_STATE		State for the Address associated to the field record
FIELD_RECORD	FIELD_RECORD_ZIP		Zip for the Address associated to the field record
FIELD_RECORD	FIELD_RECORD_COUNTY		County for the Address associated to the field record.
FIELD_RECORD	LATEST_JURISDICTION		Latest jurisdiction for the field record
FIELD_RECORD	LATEST_DHSS_REGION		Latest DHSS region (based on the jurisdiction) for the field record.
FIELD_RECORD	LATEST_BT_REGION		Latest BT region (based on the jurisdiction) for the field record.
FIELD_RECORD	LATEST_STD_SURV_DISTRICT		Latest STD SURV DISTRICT (based on the jurisdiction) for the field record.
FIELD_RECORD	LATEST_STD_DIS_DISTRICT		Latest STD DIS DISTRICT (based on the jurisdiction) for the field record.
FIELD_RECORD	LATEST_STD_DIS_REGION		Latest STD DIS REGION (based on the jurisdiction) for the field record.
FIELD_RECORD	LATEST_STD_GEO_AREA		Latest STD GEO AREA (based on the jurisdiction) for the field record.
FIELD_RECORD	LATEST_HIV_REGION		Latest HIV REGION (based on the jurisdiction) for the field record.
FIELD_RECORD	FIELD_RECORD_STATUS		Status of field record (Open if any fr condition record has not been closed - Closed if all fr condition records have been closed.)
FIELD_RECORD	EARLIEST_DATE_INITIATED		Earliest Date Initiated on the FR conditions records.
FIELD_RECORD	CONDITION_NAMES		Combines all the condition names from the FR conditions associated to the field records
FIELD_RECORD	WORKER_GROUP		Group Name for the worker
FIELD_RECORD	REFERRAL_BASIS		Combines all the referral basis(s) from the FR conditions associated to the field records
FIELD_RECORD	ODS_DATETIME		Date record inserted into ODS
FIELD_RECORD CONDITIONS	TABLE COMMENTS: This entity captures information about the conditions associated to the Field Record.		
FIELD_RECORD CONDITIONS	SURVWEB_FR_CONDITION_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_FR_CONDITION

WEBSURV PROD tables and columns  
Addl Field Record Tables  
SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
FIELD_RECORD CONDITIONS	SURVWEB_FIELD_RECORD_ID	FK	The unique identifier (primary key) of the SURVWEB_FIELD_RECORD to reference the relationship between the parent record and the child record, is the foreign key in the child table.
FIELD_RECORD CONDITIONS	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
FIELD_RECORD CONDITIONS	CONDITION_NAME		This field pulls the condition name whether a condition id is associated or OP Known is NO and condition name is selected and then standardizing the condition name.
FIELD_RECORD CONDITIONS	REFERRAL_BASIS		Referral basis
FIELD_RECORD CONDITIONS	OP_KNOWN		Is the ORIGINAL PERSON (OP) known
FIELD_RECORD CONDITIONS	DATE_INITIATED		Date the field record was initiated on the condition
FIELD_RECORD CONDITIONS	DATE_REASSIGNED		Date the field record condition was reassigned.
FIELD_RECORD CONDITIONS	DATE_INTERVIEW		Date the person was interviewed on the condition.
FIELD_RECORD CONDITIONS	WORKER_NUMBER		Worker Number for the person that is assigned/interviewed the person on the condition
FIELD_RECORD CONDITIONS	PREGNANT_AT_INITIATION		Was the person pregnant at time of initiation
FIELD_RECORD CONDITIONS	ID_OUT_OF_MO		Was the person identified out of Missouri
FIELD_RECORD CONDITIONS	OUT_STATE_JURISDICTION		If the person was identified out of Missouri, what out state jurisdiction identified it.
FIELD_RECORD CONDITIONS	HIV_STATUS		HIV Status of the person
FIELD_RECORD CONDITIONS	HIV_STATUS_OTHER		If HIV Status is OTHER, then specify the HIV STATUS
FIELD_RECORD CONDITIONS	INTERNET_OUTCOME		Internet Outcome -
FIELD_RECORD CONDITIONS	TYPE_INTERVIEW		Type of Interview (Original Interview, ReInterview)
FIELD_RECORD CONDITIONS	TYPE_REFERRAL		Type of Referral (Patient, Provider, Dual, etc)
FIELD_RECORD CONDITIONS	DATE_FIRST		Date of First Exposure
FIELD_RECORD CONDITIONS	DATE_LAST		Date of Last Exposure
FIELD_RECORD CONDITIONS	EXPOSURE_FREQUENCY		Exposure Frequency (Free Text - no set values)
FIELD_RECORD CONDITIONS	DISPOSITION		Disposition of FR Condition - how was it closed
FIELD_RECORD CONDITIONS	DISPOSITION_OTHER		If Disposition is OTHER, then specify disposition.
FIELD_RECORD CONDITIONS	DISPOSITION_DATE		Disposition Date

WEBSURV PROD tables and columns  
Addl Field Record Tables  
SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
FIELD_RECORD CONDITIONS	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
FIELD_RECORD CONDITIONS	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
FIELD_RECORD CONDITIONS	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
FIELD_RECORD CONDITIONS	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
FIELD_RECORD CONDITIONS	TIME_BT_INITIATE_DISPOSITION		Time between initiation (Date Initiated) and Disposition (Disposition Date)
FIELD_RECORD CONDITIONS	DISPOSITION_TYPE		Type of Disposition (Exam'd, Not Exam'd, Previous Positive, Previous Rx)
FIELD_RECORD CONDITIONS	WORKER_GROUP		Group Name for the worker
FIELD_RECORD CONDITIONS	ODS_DATETIME		Date record inserted into ODS
FIELD_RECORD_TESTS	TABLE COMMENTS: This entity captures information about the test type and result and provides the Laboratory name and address and submitter name and address for tests associated to Field Records.		
FIELD_RECORD_TESTS	SURVWEB_FR_TESTS_ID	PK	System generated number to uniquely identify each instance (row) of the SURV LABORATORY.
FIELD_RECORD_TESTS	SURVWEB_FIELD_RECORD_ID	FK	The unique identifier (primary key) of the SURVWEB_FIELD_RECORD to reference the relationship between the parent record and the child record, is the foreign key in the child table.
FIELD_RECORD_TESTS	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
FIELD_RECORD_TESTS	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
FIELD_RECORD_TESTS	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
FIELD_RECORD_TESTS	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
FIELD_RECORD_TESTS	SUBMITTER_ID		

WEBSURV PROD tables and columns  
 Addl Field Record Tables  
 SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
FIELD_RECORD_TESTS	SUBMITTER_PHYSICIAN_ID		
FIELD_RECORD_TESTS	LABORATORY_ID		Identifies Laboratory
FIELD_RECORD_TESTS	TEST_TYPE		Type of diagnostic procedure/test. Example: RPR, VDRL, MHA-TP, etc.
FIELD_RECORD_TESTS	TEST_TYPE_OTHER		Test type if not in lookup values.
FIELD_RECORD_TESTS	RESULT_DATE		Identifies the date of the outcome result.
FIELD_RECORD_TESTS	SPECIMEN_DATE		Identifies the date the specimen was obtained from the client.
FIELD_RECORD_TESTS	SPECIMEN_TYPE		Type of specimen
FIELD_RECORD_TESTS	SPECIMEN_TYPE_OTHER		If specimen type is OTHER, specify specimen type.
FIELD_RECORD_TESTS	QUALITATIVE_RESULT		Qualitative Result (Positive, Negative, etc)
FIELD_RECORD_TESTS	QUALITATIVE_RESULT_OTHER		Qualitative Result if not in lookup value
FIELD_RECORD_TESTS	QUANT_RESULT_INDICATOR		Quantitative Result Indicator (Equal to, Less Than,
FIELD_RECORD_TESTS	QUANTITATIVE_RESULT		Numeric result
FIELD_RECORD_TESTS	QUANTITATIVE_RESULT_UNIT		Unit for numeric result
FIELD_RECORD_TESTS	REFERENCE_RANGE		Reference range for the quantitative result
FIELD_RECORD_TESTS	POST_TEST_COUNSELED		Was the person post test counseled (HIV test
FIELD_RECORD_TESTS	COUNSELING_DATE		If Post Test Counseled is YES, the counseling date
FIELD_RECORD_TESTS	WORKER_NUMBER		If Post Test Counseled is YES, the worker number who completed the counseling
FIELD_RECORD_TESTS	LABORATORY_NAME		Name of Laboratory
FIELD_RECORD_TESTS	LABORATORY_ADDRESS		Address of Laboratory
FIELD_RECORD_TESTS	LABORATORY_CITY		Address City of Laboratory
FIELD_RECORD_TESTS	LABORATORY_STATE		Address State of Laboratory
FIELD_RECORD_TESTS	LABORATORY_ZIP		Address Zip of Laboratory
FIELD_RECORD_TESTS	LABORATORY_COUNTY		Address County of Laboratory
FIELD_RECORD_TESTS	SUBMITTER_NAME		Name of submitter
FIELD_RECORD_TESTS	SUBMITTER_ADDRESS		Address of Submitter
FIELD_RECORD_TESTS	SUBMITTER_CITY		Address City of Submitter
FIELD_RECORD_TESTS	SUBMITTER_STATE		Address State of Submitter
FIELD_RECORD_TESTS	SUBMITTER_ZIP		Address Zip of Submitter
FIELD_RECORD_TESTS	SUBMITTER_COUNTY		Address County of Submitter
FIELD_RECORD_TESTS	ODS_DATETIME		Date record inserted into ODS
FIELD_RECORD_TREATMENTS	TABLE COMMENTS: This entity captures information about the treatments on the field record.		
FIELD_RECORD_TREATMENTS	SURVWEB_FR_TREATMENT_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_FR_TREATMENT

WEBSURV PROD tables and columns  
Addl Field Record Tables  
SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
FIELD_RECORD_TREATMENTS	SURVWEB_FIELD_RECORD_ID	FK	The unique identifier (primary key) of the SURVWEB_FIELD_RECORD to reference the relationship between the parent record and the child record, is the foreign key in the child table.
FIELD_RECORD_TREATMENTS	DRUG		Name of Drug
FIELD_RECORD_TREATMENTS	DRUG_OTHER		If Name of Drug is OTHER, specify drug
FIELD_RECORD_TREATMENTS	DOSAGE		Dosage (number)
FIELD_RECORD_TREATMENTS	DOSAGE_UNIT		Dosage Unit
FIELD_RECORD_TREATMENTS	FREQUENCY		Frequency for dosage
FIELD_RECORD_TREATMENTS	DURATION		Duration of prescription
FIELD_RECORD_TREATMENTS	DURATION_UNIT		Duration Unit (days, weeks, etc.)
FIELD_RECORD_TREATMENTS	START_DATE		When the person started taking the drug.
FIELD_RECORD_TREATMENTS	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
FIELD_RECORD_TREATMENTS	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
FIELD_RECORD_TREATMENTS	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
FIELD_RECORD_TREATMENTS	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
FIELD_RECORD_TREATMENTS	TREATMENT_FACILITY_ID		Survweb_party_id for the Treatment Facility
FIELD_RECORD_TREATMENTS	TREATMENT_FAC_PHYSICIAN_ID		SURVWEB_PARTY_ID of the physician that is associated to the treatment facility.
FIELD_RECORD_TREATMENTS	TREATMENT_FACILITY_NAME		Name of the Treatment Facility
FIELD_RECORD_TREATMENTS	TREATMENT_FAC_PHYSICIAN_NAME		Name of the Physician that is associated to the treatment facility
FIELD_RECORD_TREATMENTS	TREATMENT_FACILITY_ADDRESS		Treatment Facility Address
FIELD_RECORD_TREATMENTS	TREATMENT_FACILITY_CITY		City of the Treatment Facility Address
FIELD_RECORD_TREATMENTS	TREATMENT_FACILITY_STATE		State of the Treatment Facility Address
FIELD_RECORD_TREATMENTS	TREATMENT_FACILITY_ZIP		Zip of the Treatment Facility Address
FIELD_RECORD_TREATMENTS	TREATMENT_FACILITY_COUNTY		County of the Treatment Facility Address
FIELD_RECORD_TREATMENTS	ODS_DATETIME		Date record inserted into ODS