

WEBSURV PROD tables and columns
 Addl Party Tables
 SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
This tables are in DWPROD only. They are created from procedures (ran nightly) that combine information from several tables. These tables are related to PARTIES.			
ADDRESS	TABLE COMMENTS: This entity captures all addresses for a person.		
ADDRESS	POSTAL_LOCATOR_ID	Key	System generated number to uniquely identify row of the LOCATOR_ID in LOCATION.POSTAL_LOCATOR.
ADDRESS	SURVWEB_PARTY_ID	Key	The unique identifier (primary key) of the SURVWEB_PARTY to reference the relationship between the parent record and the child record, is the foreign key in the child table.
ADDRESS	ADDRESS_LINE_1		Address Line 1 (Street Information, RR, etc)
ADDRESS	CITY		City of the address
ADDRESS	STATE		State of the address
ADDRESS	ZIP		Zip for the address (5 digits only)
ADDRESS	ZIP_PLUS_4		Zip for the address including 4 digit add on
ADDRESS	COUNTY		County of the address
ADDRESS	COUNTRY		Country of the address
ADDRESS	DHSS_REGION		DHSS region for the address
ADDRESS	BT_REGION		BT region for the address
ADDRESS	DATE_ASSOCIATED_TO_PARTY		Specifies date/time record was originally associated to the PARTY. Entry Date from SURVWEB_PARTY_LOCATOR.
ADDRESS	ENTRY_USERID		Specifies USER who originally associated the record to the PARTY. Entry Userid from SURVWEB_PARTY_LOCATOR.
ADDRESS	LAST_CHANGED_USERID		Specifies date/time record was last changed in SURVWEB_PARTY_LOCATOR table.
ADDRESS	LAST_CHANGED_DATETIME		Specifies the USER who last changed the record in SURVWEB_PARTY_LOCATOR table.
ADDRESS	PRIMARY_INDICATOR		Indicates is the address is primary.
ADDRESS	BEGIN_DATE		Date when address became valid
ADDRESS	END_DATE		Date when address is no longer valid
ADDRESS	LOCATOR_CLASS_TYPE		Indicates the role of the address (HOME, BUSINESS, etc.)
ADDRESS	ADDRESS_TYPE		Whether the address is POSTAL, LOCATION, INSTITUTION or INTERNATIONAL
ADDRESS	LOCATION		If address type is LOCATION, then IN STATE, OUT STATE of OUT OF COUNTRY

WEBSURV PROD tables and columns
 Addl Party Tables
 SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
ADDRESS	INSTITUTION_PARTY_ID		If address type is INSTITUTION, the survweb_party_id for the Organization Party that is associated to the address.
ADDRESS	INSTITUTION_NAME		If address type is INSTITUTION, the organization_name for the Organization Party that is associated to the address.
ADDRESS	STD_DIS_REGION		The STD Disease Intervention Specialist Region for the address.
ADDRESS	HIV_REGION		The HIV Region for the address.
ADDRESS	ODS_DATETIME		Date record inserted into ODS
ASSOCIATED_PARTIES	TABLE COMMENTS: This entity captures all parties associated to the party (CROSS REFERENCES, RELATED PERSONS)		
ASSOCIATED_PARTIES	SURVWEB_PARTY_ASSOC_PARTIES_ID	Key	System generated number to uniquely identify row of the associated party record in the SURVWEB_PARTY_ASSOC_PARTIES table.
ASSOCIATED_PARTIES	SURVWEB_PARTY_ID	Key	The unique identifier (primary key) of the SURVWEB_PARTY for the party that has another party associated to it.
ASSOCIATED_PARTIES	ASSOCIATED_PARTY_ID		The unique identifier (primary key) of the SURVWEB_PARTY that is associated to the first party.
ASSOCIATED_PARTIES	PARTY_TYPE		PERSON / ORGANIZATION
ASSOCIATED_PARTIES	BEGIN_DATE		Begin Date of the Association
ASSOCIATED_PARTIES	END_DATE		End Date of the Association
ASSOCIATED_PARTIES	TYPE		Type of Association (CROSS REFERENCE, MEDICAL PERSONNEL)
ASSOCIATED_PARTIES	STATUS		For Medical Personnel only, is the association ACTIVE or INACTIVE.
ASSOCIATED_PARTIES	ENTRY_USERID		Specifies the USER who entered the record.
ASSOCIATED_PARTIES	ENTRY_DATETIME		Specifies date/time record was entered.
ASSOCIATED_PARTIES	LAST_CHANGED_USERID		Specifies the USER who last changed the record in SURVWEB_PARTY_LOCATOR table.
ASSOCIATED_PARTIES	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in SURVWEB_PARTY_LOCATOR table.
ASSOCIATED_PARTIES	ASSOCIATED_PARTY_NAME		Name of the Party associated to the first party.
ASSOCIATED_PARTIES	ASSOCIATED_PARTY_ADDRESS		Primary Address of the Party associated to the first party.
ASSOCIATED_PARTIES	ASSOCIATED_PARTY_CITY		City for the Primary Address of the Party associated to the first party.

WEBSURV PROD tables and columns

Addl Party Tables

SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
ASSOCIATED_PARTIES	ASSOCIATED_PARTY_STATE		State for the Primary Address of the Party associated to the first party.
ASSOCIATED_PARTIES	ASSOCIATED_PARTY_ZIP		ZIP for the Primary Address of the Party associated to the first party.
ASSOCIATED_PARTIES	ASSOCIATED_PARTY_COUNTY		County for the Primary Address of the Party associated to the first party.
ASSOCIATED_PARTIES	ODS_DATETIME		Date record inserted into ODS
LATEST_HIV_STATUS	Table Contents: This entity provides the latest HIV information for the person.		
LATEST_HIV_STATUS	SURVWEB_PARTY_ID	Key	Identifies the party the record is associated to.
LATEST_HIV_STATUS	STATE_PATIENT_NUMBER		Unique identifier for the HIV Patient Assigned by the HIV Program
LATEST_HIV_STATUS	LATEST_HIV_STATUS		Identifies the latest HIV Status for the person
LATEST_HIV_STATUS	LATEST_HIV_STATUS_DATE		Identifies the date of the latest HIV Status
LATEST_HIV_STATUS	LATEST_HIV_ENTRY_DATETIME		Specifies user ID of the person who entered the latest HIV Status record in SURVWEB_HIV_TESTING_STATUS table.
LATEST_HIV_STATUS	LATEST_HIV_USERID		Specifies date/time of entry of the the latest HIV Status record in SURVWEB_HIV_TESTING_STATUS table.
LATEST_HIV_STATUS	ODS_DATETIME		Date record inserted into ODS
LATEST_PERSON_INFORMATION	Table Contents: This entity provides the latest person history information for the person.		
LATEST_PERSON_INFORMATION	SURVWEB_PARTY_ID	Key	Identifies the party the record is associated to.
LATEST_PERSON_INFORMATION	LATEST_HOSPITAL_ADMISSION_DATE		Identifies the latest admission date
LATEST_PERSON_INFORMATION	LATEST_HOSPITAL_DISCHARGE_DATE		Identifies the latest discharge date
LATEST_PERSON_INFORMATION	LATEST_HOSPITAL_HOSPITAL_ID		Identified the hospital associated with the latest hospitalization
LATEST_PERSON_INFORMATION	LATEST_HOSPITAL_HOSPITAL_NAME		Name of hospital in Latest_Hospital_Hospital_ID.
LATEST_PERSON_INFORMATION	LATEST_PREGNANCY_DUE_DATE		Identifies the latest pregnancy due date
LATEST_PERSON_INFORMATION	LATEST_PREGNANCY_OUTCOME_DATE		Identifies the latest pregnancy outcome date
LATEST_PERSON_INFORMATION	LATEST_PREGNANCY_OUTCOME		Identifies the outcome of the latest pregnancy
LATEST_PERSON_INFORMATION	LATEST_WEIGHT		Identifies the latest weight
LATEST_PERSON_INFORMATION	LATEST_WEIGHT_UNIT		Identifies the latest weight unit
LATEST_PERSON_INFORMATION	LATEST_WEIGHT_DATE		Identifies the latest date weighed
LATEST_PERSON_INFORMATION	LATEST_TRAVEL_DEPARTURE_DATE		Identifies the latest travel departure date
LATEST_PERSON_INFORMATION	LATEST_TRAVEL_RETURN_DATE		Identifies the latest travel return date
LATEST_PERSON_INFORMATION	LATEST_TRAVEL_LOCATION		Identifies the location of travel for the latest travel date.
PATIENT	Table Comments: This entity contains one record for the person and includes the current primary address and demographics. Race has been combined into one field.		
PATIENT	SURVWEB_PARTY_ID	Key	Identifies the party the record is associated to.

WEBSURV PROD tables and columns

Addl Party Tables

SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
PATIENT	FIRST_NAME		First Name
PATIENT	LAST_NAME		Last Name
PATIENT	NAME		Last Name, First Name, Middle Name
PATIENT	PRIMARY_ADDRESS		Address marked as primary
PATIENT	DHSS_REGION		DHSS Region for the primary address
PATIENT	BT_REGION		BT Region for the primary address
PATIENT	PRIMARY_TELEPHONE_NUMBER		Telephone Number marked as primary
PATIENT	RACE		Race - If multiple races are marked, field is populated with MULTI RACE, if only one race field is Y then the field is populated with that item.
PATIENT	RACE_EXPANDED		Expanded Race - If multiple expanded races are marked, field is populated with MULTI EXPANDED, if only one race expanded field then the field is populated with that item.
PATIENT	SEX		Current Gender of person
PATIENT	DATE_OF_BIRTH		Date of Birth
PATIENT	DATE_OF_DEATH		Date of Death
PATIENT	VITAL_STATUS		Vital Status (Living or Deceased)
PATIENT	ETHNICITY		Ethnicity
PATIENT	ETHNICITY_EXPANDED		Ethnicity Expanded
PATIENT	COUNTRY_OF_ORIGIN		Country of birth or Country of Origin
PATIENT	DATE_ENTERED_USA		Date entered USA
PATIENT	GRADE_LEVEL		Grade Level
PATIENT	MARITAL_STATUS		Marital Status
PATIENT	BIRTHTIME		What time was the person born.
PATIENT	PLURALITY		What is the plurality of this birth, 1 - single, 2 - twins, 3 - triplets, etc.
PATIENT	BIRTH_ORDER		What is the order of this birth, 1st, 2nd, Third, etc.
PATIENT	PRIMARY_LANGUAGE		What is the primary language of the person?
PATIENT	PRIMARY_LANGUAGE_OTHER		If primary language is OTHER, specify.
PATIENT	READS_PRIMARY		Can the person read the primary language?
PATIENT	WRITES_PRIMARY		Can the person write the primary language?
PATIENT	SECONDARY_LANGUAGE		What is the secondary language of the person?
PATIENT	SECONDARY_LANGUAGE_OTHER		If secondary language is OTHER, specify.
PATIENT	OTHER_RACE		Other Race
PATIENT	REFUSED_TO_ANSWER_RACE		Refused to Answer Race
PATIENT	BIRTH_WEIGHT		Birth Weight of Person
PATIENT	GESTATION_AGE		Gestation Age of Person
PATIENT	SEX_AT_BIRTH		Sex of Person at Birth

WEBSURV PROD tables and columns

Addl Party Tables

SURVWEB - Tables created by pulling information from multiple tables.

Table Name	Column Name	KEY	Column Comments
PATIENT	SSN		SSN for the Person
PATIENT	EHARS_ID		EHARS ID for the Person
PATIENT	STD_DIS_REGION		STD DIS REGION for the primary address
PATIENT	HIV_REGION		HIV REGION for the primary address
PATIENT	ODS_DATETIME		Date record inserted into ODS
USER_LIST	Table Comments: This entity contains listing of userids with survweb role(s).		
USER_LIST	USERID		Userid (Five letters of last name, first initial plus number if already existing)
USER_LIST	FIRST_NAME		First Name
USER_LIST	LAST_NAME		Last Name
USER_LIST	SSN		Last four of SSN
USER_LIST	ROLE_NAME		Role granted to user
USER_LIST	AGENCY_NAME		Agency Name
USER_LIST	STATUS		Status (Active or Inactive)
USER_LIST	ENTRY_DATETIME		Entry Date of role
USER_LIST	LAST_CHANGED_DATETIME		Last Date Changed of role