

Table Name	Column Name	KEY	Column Comments
This tables are in PROD and DWPROD. The data entered is stored in PROD and nightly copied to the tables in DWPROD. These tables are related to Administrative, Lookup and Provider information.			
SURVWEB_ADMIN_WORKER_NUMBER	TABLE COMMENTS: The entity contains records of WORKER NUMBERS for STD program		
SURVWEB_ADMIN_WORKER_NUMBER	SURVWEB_ADMIN_WORKER_NUMBER_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_ADMIN_WORKER_NUMBER.
SURVWEB_ADMIN_WORKER_NUMBER	LAST_NAME		Last Name of Worker
SURVWEB_ADMIN_WORKER_NUMBER	FIRST_NAME		First Name of Worker
SURVWEB_ADMIN_WORKER_NUMBER	WORKER_NUMBER		Number assigned to the worker
SURVWEB_ADMIN_WORKER_NUMBER	STATUS		Status of Worker Number, active or inactive
SURVWEB_ADMIN_WORKER_NUMBER	BEGIN_DATE		Date the number was put in place
SURVWEB_ADMIN_WORKER_NUMBER	END_DATE		Date the number was taken out of service.
SURVWEB_ADMIN_WORKER_NUMBER	GROUP_NAME		Group the worker/number belongs to
SURVWEB_ADMIN_WORKER_NUMBER	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_ADMIN_WORKER_NUMBER	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_ADMIN_WORKER_NUMBER	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_ADMIN_WORKER_NUMBER	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_ADMIN_WORKER_NUMBER	REVIEWER		CAN THE WORKER REVIEW FIELD RECORDS AND INTERVIEW RECORDS?
SURVWEB_ADMIN_WORKER_NUMBER	ODS_DATETIME		Time when data was loaded to Data Warehouse
SURVWEB_CDC_REPORTING_YEARS	TABLE COMMENTS: The entity contains records which provide Begin and End Date for CDC Reporting Years and a CLOSE date to use in NETSS file creation.		
SURVWEB_CDC_REPORTING_YEARS	SURVWEB_CDC_REPORTING_YEARS_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_CDC_REPORTING_YEARS.
SURVWEB_CDC_REPORTING_YEARS	BEGIN_DATE		Begin Date for the CDC Report Year
SURVWEB_CDC_REPORTING_YEARS	END_DATE		End Date for the CDC Report Year
SURVWEB_CDC_REPORTING_YEARS	CLOSING_DATE		Date disease reporting closed for the year.
SURVWEB_CDC_REPORTING_YEARS	REPORTING_YEAR		REPORTING YEAR is year data has been received.
SURVWEB_CDC_REPORTING_YEARS	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_CDC_REPORTING_YEARS	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_CDC_REPORTING_YEARS	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_CDC_REPORTING_YEARS	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_CDC_REPORTING_YEARS	ODS_DATETIME		Time when data was loaded to Data Warehouse
SURVWEB_HIV_PTR_SVCS_LOOKUP	TABLE COMMENTS: The entity contains records used in the generation of the HIV Partner Services XML file and converts WebSurv values to acceptable values for the XML file.		

SURVWEB_HIV_PTR_SVCS_LOOKUP	SURVWEB_HIV_PTR_SVCS_LOOKUP_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_HIV_PTR_SVCS_LOOKUP
SURVWEB_HIV_PTR_SVCS_LOOKUP	LIST_NAME		The name of the list (variable).
SURVWEB_HIV_PTR_SVCS_LOOKUP	WEBSURV_VALUE		The value in WebSurv to get XML value.
SURVWEB_HIV_PTR_SVCS_LOOKUP	XML_VALUE		A value that will be included in the XML file.
SURVWEB_HIV_PTR_SVCS_LOOKUP	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_HIV_PTR_SVCS_LOOKUP	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_HIV_PTR_SVCS_LOOKUP	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_HIV_PTR_SVCS_LOOKUP	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_HIV_PTR_SVCS_LOOKUP	ODS_DATETIME		Time when data was loaded to Data Warehouse
SURVWEB_LOOKUP_NAME	TABLE COMMENTS: The entity contains records of the lookup list names used to populate lookup/dropdown lists within the application.		
SURVWEB_LOOKUP_NAME	SURVWEB_LOOKUP_NAME_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_LOOKUP_NAME
SURVWEB_LOOKUP_NAME	APP_FILTER		Identifies the applications that the list are used in CONDITION, PARTY, LOCATOR.
SURVWEB_LOOKUP_NAME	LIST_NAME		The name of the look up list.
SURVWEB_LOOKUP_NAME	DESCRIPTION		A description of the list.
SURVWEB_LOOKUP_NAME	STATUS		Status of the list record, INACTIVE or ACTIVE.
SURVWEB_LOOKUP_NAME	XML_VALUE		A value that will be included in the XML file.
SURVWEB_LOOKUP_NAME	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_LOOKUP_NAME	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_LOOKUP_NAME	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_LOOKUP_NAME	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_LOOKUP_NAME	ODS_DATETIME		Time when data was loaded to Data Warehouse
SURVWEB_LOOKUP_VALUE	TABLE COMMENTS: The entity contains records used to populate lookup/dropdown lists. Each LIST NAME record in the SURVWEB_LOOKUP_NAME table will have 1 to Many values. The filter values is used to limit the items based on CONDITION, etc.		
SURVWEB_LOOKUP_VALUE	SURVWEB_LOOKUP_VALUE_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_LOOKUP_VALUE
SURVWEB_LOOKUP_VALUE	SURVWEB_LOOKUP_NAME_ID	FK	Identifies the SURVWEB_LOOKUP_NAME record that the values are associated to.
SURVWEB_LOOKUP_VALUE	VALUE		The specific values that are available for the lookup lists.
SURVWEB_LOOKUP_VALUE	SHORT_VALUE		A short value that is associated with the specific value in the lookup lists.
SURVWEB_LOOKUP_VALUE	DESCRIPTION		Description of Value
SURVWEB_LOOKUP_VALUE	FILTER_VALUE		A value that identifies the filter the application will use to show the list. For example, classification list will be filtered by the disease name.

SURVWEB_LOOKUP_VALUE	ORDER_SEQ		Identifies the order that the list will be displayed.
SURVWEB_LOOKUP_VALUE	STATUS		Status of the value record, INACTIVE or ACTIVE.
SURVWEB_LOOKUP_VALUE	XREF_LIST_NAME_ID		Identifies a third level for filtering. This is used with List Name "TEST TYPE" to identify the qualitative result list to be used after the test type is selected.
SURVWEB_LOOKUP_VALUE	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_LOOKUP_VALUE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_LOOKUP_VALUE	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_LOOKUP_VALUE	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_LOOKUP_VALUE	ODS_DATETIME		Time when data was loaded to Data Warehouse
SURVWEB_PARTY_PROVIDER_ICN	TABLE COMMENTS: ICN number assigned to the PARTY for STD testing.		
SURVWEB_PARTY_PROVIDER_ICN	SURVWEB_PARTY_PROVIDER_ICN_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_PARTY_PROVIDER_ICN.
SURVWEB_PARTY_PROVIDER_ICN	SURVWEB_PARTY_ID	FK	The unique identifier (primary key) of the SURV_PARTY to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_PARTY_PROVIDER_ICN	ICN		ICN number assigned to the PARTY for STD testing.
SURVWEB_PARTY_PROVIDER_ICN	STATUS		Status of the ICN Active or Inactive
SURVWEB_PARTY_PROVIDER_ICN	BEGIN_DATE		Date that the ICN begin.
SURVWEB_PARTY_PROVIDER_ICN	END_DATE		Date that the ICN ends.
SURVWEB_PARTY_PROVIDER_ICN	PROGRAM_TYPE		Identifies the program type (STD or IPP).
SURVWEB_PARTY_PROVIDER_ICN	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_PROVIDER_ICN	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_PROVIDER_ICN	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_PROVIDER_ICN	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_PROVIDER_TYPE	TABLE COMMENTS: Provider Type assigned to the PARTY for STD Program Use.		
SURVWEB_PARTY_PROVIDER_TYPE	SURVWEB_PARTY_PROVIDER_TYPE_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_PARTY_PROVIDER_TYPE.
SURVWEB_PARTY_PROVIDER_TYPE	SURVWEB_PARTY_ID	FK	The unique identifier (primary key) of the SURV_PARTY to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_PARTY_PROVIDER_TYPE	PROVIDER_TYPE		Identifies the provider type.
SURVWEB_PARTY_PROVIDER_TYPE	STATUS		Status of the provider type Active or Inactive
SURVWEB_PARTY_PROVIDER_TYPE	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.

SURVWEB_PARTY_PROVIDER_TYPE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_PROVIDER_TYPE	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_PROVIDER_TYPE	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_ROLE	TABLE COMMENTS: ROLE that a PARTY has in the SURVEILLANCE system. Examples include: PROVIDER, LABORATORY, etc.		
SURVWEB_PARTY_ROLE	SURVWEB_PARTY_ROLE_ID	PK	System generated number to uniquely identify each instance (row) of the SURV PARTY ROLE.
SURVWEB_PARTY_ROLE	SURVWEB_PARTY_ID	FK	The unique identifier (primary key) of the SURV_PARTY to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_PARTY_ROLE	BEGIN_DATE		contains the begin date for the role association to the party.
SURVWEB_PARTY_ROLE	END_DATE		contains the end date for the role association to the party.
SURVWEB_PARTY_ROLE	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_ROLE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_ROLE	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_ROLE	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_ROLE	PARTY_ROLE_TYPE		The unique identifier (primary key) of the SURV_ROLE_TYPE to reference the relationship between the parent record and the child record, is the foreign key in the child table.

LOOKUP_DATE_CONDITION	Table Comments: This entity contains records from identified tables for updating the CDC UPDATE FLAG.		
LOOKUP_DATE_CONDITION	SURVWEB_CONDITION_ID	Key	Identifies the condition the record is associated to.
LOOKUP_DATE_CONDITION	ENTRY_DATETIME		Entry Datetime of record
LOOKUP_DATE_CONDITION	LAST_CHANGED_DATETIME		Last Changed Datetime of record
LOOKUP_DATE_CONDITION	SOURCE_TABLE		Source table that the record is from
LOOKUP_DATE_CONDITION	LAST_CHANGED_USERID		Last Changed Userid of the record
LOOKUP_DATE_CONDITION	ODS_DATETIME		Date record inserted into ODS