

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
This tables are in PROD and DWPROD. The data entered is stored in PROD and nightly copied to the tables in DWPROD. These tables are related to ALL CONDITIONS. There are some CONDITION SPECIFIC tables such as SURVWEB_COND_TB_DISEASE.			
SURVWEB_CONDITION	TABLE COMMENTS: This entity defines each condition in the database.		
SURVWEB_CONDITION	SURVWEB_CONDITION_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_CONDITION.
SURVWEB_CONDITION	COMPLICATION		Complication of the condition (Adverse Reactions)
SURVWEB_CONDITION	CONDITION_CODE		CDC Assigned Code that identifies the condition
SURVWEB_CONDITION	CONDITION_NAME		Name of Condition/Disease
SURVWEB_CONDITION	OTHER_CONDITION_NAME		If condition is other, the specify condition is identified here.
SURVWEB_CONDITION	TYPE		Type - Currently used for Type of Animal for Animal Bites
SURVWEB_CONDITION	TYPE_OTHER		Other Type - Currently used for Other Animal for Animal Bites
SURVWEB_CONDITION	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_CONDITION	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_CONDITION	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_CONDITION	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_CONDITION	SEVERITY_OF_ILLNESS		Severity of the illness (Varicella only)
SURVWEB_CONDITION	COMPLICATION_OTHER		If Complication is OTHER,then specify
SURVWEB_CONDITION	NUMBER_LESIONS		For varicella conditions, number of lesions (<50, etc)
SURVWEB_CONDITION_DELETE	TABLE COMMENTS: This entity captures conditions that have been deleted after its implementation (7/21/2010). This entity contains condition records that have been deleted. It is used to "rescind" records that have been sent to CDC.		
SURVWEB_CONDITION_DELETE	SURVWEB_CONDITION_ID		System generated number to uniquely identify each instance (row) of the SURVWEB_CONDITION.

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_CONDITION_DELETE	DELETE_DATETIME		Specifies date/time record was deleted from the system. Value derived from Database System date.
SURVWEB_CONDITION_DELETE	DELETE_USERID		Specifies user ID of the person who deleted the record from into system. Value derived from Database as the current user when signed on.
SURVWEB_CONDITION_DELETE	RESCIND_DATETIME		Datetime the CONDITION was rescinded from CDC reporting.
SURVWEB_CONDITION_HISTORY	TABLE COMMENTS: This entity will track the history of SURV CONDITION. Each time SURV CONDITION is updated a before image will be moved to the		
SURVWEB_CONDITION_HISTORY	SURVWEB_COND_HISTORY_ID	PK	System generated number to uniquely identify each instance (row) of the SURV CONDITION HISTORY.
SURVWEB_CONDITION_HISTORY	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_CONDITION_HISTORY	AGE_AT_DIAGNOSIS		Age of the client at the onset of this condition.
SURVWEB_CONDITION_HISTORY	AGE_TYPE		TYPE CODE for the AGE
SURVWEB_CONDITION_HISTORY	ARCHIVE_DATETIME		Date archived to this table.
SURVWEB_CONDITION_HISTORY	COMPLICATION		Complication of the Illness (Adverse Reactions)
SURVWEB_CONDITION_HISTORY	CONDITION_CODE		There are several condition code (case) statuses (i.e. confirmed, probable, suspect, carrier, not condition, incomplete, etc.
SURVWEB_CONDITION_HISTORY	CONDITION_NAME		The diagnosed condition name.
SURVWEB_CONDITION_HISTORY	OTHER_CONDITION_NAME		If condition is other, the specify condition is identified here.
SURVWEB_CONDITION_HISTORY	CONDITION_STATUS		Indicates the level of confidence of the condition diagnosis. i.e. confirmed, probable, suspect, carrier, etc.
SURVWEB_CONDITION_HISTORY	COUNTED_JURISDICTION		Stores the COUNTED JURISDICTION
SURVWEB_CONDITION_HISTORY	DIAGNOSIS_DATE		Date of Diagnosis of the Condition
SURVWEB_CONDITION_HISTORY	DIED_OF_ILLNESS		Indicates if the client died because of this condition.
SURVWEB_CONDITION_HISTORY	DAYS_HOSPITALIZED		Number of days the patient was hospitalized for this illness.
SURVWEB_CONDITION_HISTORY	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_CONDITION_HISTORY	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_CONDITION_HISTORY	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_CONDITION_HISTORY	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_CONDITION_HISTORY	MANAGE_JURISDICTION		Stores the MANAGE JURISDICTION
SURVWEB_CONDITION_HISTORY	MONTH_COUNTED		Month Condition Counted
SURVWEB_CONDITION_HISTORY	SEVERITY_OF_ILLNESS		Severity of Illness (Varicella conditions only)
SURVWEB_CONDITION_HISTORY	REPORTER_ID		Unique identifier that identified the reporting party.
SURVWEB_CONDITION_HISTORY	YEAR_COUNTED		Year Condition Counted
SURVWEB_COND_ANIMAL_EXPOSURE	TABLE COMMENTS: This entity defines information about the exposure to pets and animals.		
SURVWEB_COND_ANIMAL_EXPOSURE	SURVWEB_COND_ANIMAL_EXP_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_ANIMAL_EXPOSURE.
SURVWEB_COND_ANIMAL_EXPOSURE	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_ANIMAL_EXPOSURE	ANIMAL		Identifies the ANIMAL EXPOSED TO.
SURVWEB_COND_ANIMAL_EXPOSURE	ANIMAL_ILL		Captures whether the animal was ill
SURVWEB_COND_ANIMAL_EXPOSURE	CITY		Captures the city where exposure occurred.
SURVWEB_COND_ANIMAL_EXPOSURE	COUNTY		Captures the county where exposure occurred. (In development, no data yet)
SURVWEB_COND_ANIMAL_EXPOSURE	COUNTRY		Captures the country where exposure occurred.
SURVWEB_COND_ANIMAL_EXPOSURE	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_ANIMAL_EXPOSURE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_ANIMAL_EXPOSURE	EXPOSURE		How exposed to the animal
SURVWEB_COND_ANIMAL_EXPOSURE	EXPOSURE_DATE		Captures the date the client was exposed.
SURVWEB_COND_ANIMAL_EXPOSURE	EXPOSURE_TYPE		Type of EXPOSURE. Example: pet, works on farm, associated with veterinary practice, etc.

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_ANIMAL_EXPOSURE	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_ANIMAL_EXPOSURE	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_ANIMAL_EXPOSURE	LOCATION		Captures the location of exposure, instate, outstate, outcountry
SURVWEB_COND_ANIMAL_EXPOSURE	OTHER_ANIMAL		Identified the animal exposed to if not in the lookup values
SURVWEB_COND_ANIMAL_EXPOSURE	OTHER_EXPOSURE_TYPE		Identifies the EXPOSURE TYPE WHEN not available in the listing.
SURVWEB_COND_ANIMAL_EXPOSURE	STATE		Captures the state where exposure occurred.
SURVWEB_COND_ATTACHMENT	TABLE COMMENTS: This entity defines information about the documents attached to the condition (STD related)		
SURVWEB_COND_ATTACHMENT	SURVWEB_COND_ATTACHMENT_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_ATTACHMENT
SURVWEB_COND_ATTACHMENT	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_ATTACHMENT	ATTACHMENT_NAME		Name of the document
SURVWEB_COND_ATTACHMENT	STATUS		Status of the document - ACTIVE or INACTIVE - When documents are removed, they are set to inactive.
SURVWEB_COND_ATTACHMENT	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_ATTACHMENT	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_ATTACHMENT	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_ATTACHMENT	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_BIRTH_MOM	TABLE COMMENTS: This entity defines information about the birth mother for the condition (currently related to Congenital Syphilis Only.		

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_BIRTH_MOM	SURVWEB_COND_BIRTH_MOM_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_BIRTH_MOM.
SURVWEB_COND_BIRTH_MOM	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_BIRTH_MOM	MOTHER_PARTY_ID		Survweb_Party_ID for the person associated to the condition as the birth mother
SURVWEB_COND_BIRTH_MOM	MOTHER_WHITE		If baby is adopted, mother race is entered on the birth mom screen.
SURVWEB_COND_BIRTH_MOM	MOTHER_BLACK		If baby is adopted, mother race is entered on the birth mom screen.
SURVWEB_COND_BIRTH_MOM	MOTHER_ASIAN		If baby is adopted, mother race is entered on the birth mom screen.
SURVWEB_COND_BIRTH_MOM	MOTHER_INDIAN		If baby is adopted, mother race is entered on the birth mom screen.
SURVWEB_COND_BIRTH_MOM	MOTHER_PACIFIC		If baby is adopted, mother race is entered on the birth mom screen.
SURVWEB_COND_BIRTH_MOM	MOTHER_OTHER_RACE		If baby is adopted, mother race is entered on the birth mom screen.
SURVWEB_COND_BIRTH_MOM	MOTHER_UNKNOWN_RACE		If baby is adopted, mother race is entered on the birth mom screen.
SURVWEB_COND_BIRTH_MOM	MOTHER_REFUSED_RACE		If baby is adopted, mother race is entered on the birth mom screen.
SURVWEB_COND_BIRTH_MOM	MOTHER_ETHNICITY		If baby is adopted, mother ethnicity is entered on the birth mom screen.
SURVWEB_COND_BIRTH_MOM	MOTHER_MARITAL_STATUS		If baby is adopted, mother marital status is entered on the birth mom screen.
SURVWEB_COND_BIRTH_MOM	DATE_LAST_MENSTRUAL_PERIOD		Date of Birth Mother's Last Menstrual Period
SURVWEB_COND_BIRTH_MOM	PRENATAL_CARE		Did Birth Mother have prenatal care?
SURVWEB_COND_BIRTH_MOM	FIRST_PRENATAL_VISIT_DATE		Date of the Birth Mother's First Prenatal Care Visit.
SURVWEB_COND_BIRTH_MOM	NUMBER_PRENATAL_VISITS		Number of Prenatal Visits the Birth Mother had.
SURVWEB_COND_BIRTH_MOM	NONTREPONEMAL_TEST		Did the birth mother have a nontreponemal test.
SURVWEB_COND_BIRTH_MOM	CONFIRM_NONTREPONEMAL_TEST		Was a CONFIRMATORY TREPONEMAL TEST completed and the result.
SURVWEB_COND_BIRTH_MOM	DARKFIELD_AT_DELIVERY		Was a Darkfield test completed at delivery and the result.

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_BIRTH_MOM	LAST_TREATED_SYPHILIS		When was the birth mother last treated for syphilis, i.e. before pregnancy, after pregnancy, etc.
SURVWEB_COND_BIRTH_MOM	TREATMENT_ADEQUATE		Was the treatment adequate.
SURVWEB_COND_BIRTH_MOM	SEROLOGIC_RESPONSE		Did the mother have the appropriate serologic response
SURVWEB_COND_BIRTH_MOM	ADOPTED_NO_PARENTAL_RIGHTS		Was the baby adopted. If marked Y, the association between the birth mother and the condition is removed.
SURVWEB_COND_BIRTH_MOM	LAST_TREATMENT_DATE		Date the birth mother was last treated for syphilis
SURVWEB_COND_BIRTH_MOM	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_BIRTH_MOM	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_BIRTH_MOM	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_BIRTH_MOM	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_BIRTH_MOM_TEST	TABLE COMMENTS: This entity defines information about the birth mother for the condition (currently related to Congenital Syphilis Only.		
SURVWEB_COND_BIRTH_MOM_TEST	SURVWEB_COND_BIRTH_MOM_TEST_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_BIRTH_MOM_TEST
SURVWEB_COND_BIRTH_MOM_TEST	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_BIRTH_MOM_TEST	SPECIMEN_DATE		Specimen Date of the Test
SURVWEB_COND_BIRTH_MOM_TEST	RESULT		Result of the Test
SURVWEB_COND_BIRTH_MOM_TEST	TITER		Titer of the Test
SURVWEB_COND_BIRTH_MOM_TEST	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_BIRTH_MOM_TEST	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_BIRTH_MOM_TEST	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_BIRTH_MOM_TEST	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_CLINICAL	TABLE COMMENTS: This entity captures the information on the clinical presentation of the condition (complications, type of infection, related diagnoses, etc). (In development, no data yet)		
SURVWEB_COND_CLINICAL	SURVWEB_COND_CLINICAL_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_SEX_PARTNERS_STD.
SURVWEB_COND_CLINICAL	SURVWEB_CONDITION_ID	FK	Identifies condition record is associated to.
SURVWEB_COND_CLINICAL	CLINICAL_PRESENTATION		Clinical Presentation of the condition
SURVWEB_COND_CLINICAL	OTHER_CLINICAL_PRESENTATION		If Clinical Presentation is other, then specific information on the presentation
SURVWEB_COND_CLINICAL	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_CLINICAL	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_CLINICAL	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_CLINICAL	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_CONTACTS	TABLE COMMENTS: This entity has information about ILL contacts to the condition.		
SURVWEB_COND_CONTACTS	SURVWEB_COND_CONTACTS_ID	PK	System generated number to uniquely identify each instance (row) of the SURV CONTACT DETAIL.
SURVWEB_COND_CONTACTS	SURVWEB_CONDITION_ID	FK	System generated number to uniquely identify each instance (row) of the SURV CONDITION.
SURVWEB_COND_CONTACTS	AGE		Age of contact at time of report
SURVWEB_COND_CONTACTS	AGE_TYPE		Age type associated with age (years, months)
SURVWEB_COND_CONTACTS	CLOSE_CONTACT		How close the contact was. Screen Field Name is Contact Prioritization

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_CONTACTS	CONTACT_PARTY_ID		SURV PARTY that has been associated to this condition as an epi linked case.
SURVWEB_COND_CONTACTS	CONTACT_PARTY_LOCATOR_ID		Captures the locator address id for the contact.
SURVWEB_COND_CONTACTS	DATE_OF_LAST_EXPOSURE		Date the contact was last exposed.
SURVWEB_COND_CONTACTS	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_CONTACTS	ENTRY_USERID		User id of user creating row
SURVWEB_COND_CONTACTS	EVALUATED		Contact was evaluated for illness
SURVWEB_COND_CONTACTS	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_CONTACTS	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_CONTACTS	ONSET_DATE		Date of Onset for the Contact
SURVWEB_COND_CONTACTS	RELATIONSHIP		Relationship - Household or Non Household Screen Field Name is Type of Contact
SURVWEB_COND_CONTACTS	RESULT		Result of the evaluation for illness
SURVWEB_COND_COUNTRIES	TABLE COMMENTS: This entity includes countries (guardian birth country or patient resided in) associated with		
SURVWEB_COND_COUNTRIES	SURVWEB_COND_COUNTRIES_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_COUNTRIES
SURVWEB_COND_COUNTRIES	SURVWEB_CONDITION_ID	FK	Identifies the CONDITION dates are associated with.
SURVWEB_COND_COUNTRIES	COUNTRY		Country
SURVWEB_COND_COUNTRIES	GUARDIAN_LIVED_IN		Is this the "Guardian Country of Birth" or "Country Patient Lived in for Greater than Two Months".
SURVWEB_COND_COUNTRIES	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_COUNTRIES	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_COUNTRIES	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_COUNTRIES	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_DATE	TABLE COMMENTS: This entity includes dates associated with condition (RECEIVED, REPORT, DIAGNOSIS,		

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_DATE	SURVWEB_COND_DATE_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_DATE
SURVWEB_COND_DATE	SURVWEB_CONDITION_ID	FK	Identifies the CONDITION dates are associated with.
SURVWEB_COND_DATE	CONDITION_CDC_REPORT_MONTH		CDC Report Month
SURVWEB_COND_DATE	CONDITION_CDC_REPORT_WEEK		CDC Report Week
SURVWEB_COND_DATE	CONDITION_CDC_REPORT_YEAR		CDC Report Year
SURVWEB_COND_DATE	CONDITION_DATE		Date
SURVWEB_COND_DATE	CONDITION_DATE_TEXT		Date in text format
SURVWEB_COND_DATE	CONDITION_DATE_TYPE		Type of Date (Report, Received, etc)
SURVWEB_COND_DATE	CONDITION_TYPE_DESCRIPTION		Description of Date
SURVWEB_COND_DATE	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_DATE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_DATE	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_DATE	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_DISEASE_CASE_RT	TABLE COMMENTS: Table to store additional information(one to one) related to the CD1 case report/condition.		
SURVWEB_COND_DISEASE_CASE_RT	SURVWEB_COND_DCR_ID	PK	System generated number to uniquely identify each instance (row) of the SURV COND DISEASE CASE RT.
SURVWEB_COND_DISEASE_CASE_RT	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_DISEASE_CASE_RT	AGE_AT_DIAGNOSIS		Age of person at diagnosis
SURVWEB_COND_DISEASE_CASE_RT	AGE_TYPE		Age Type (years, months) associated with age at diagnosis
SURVWEB_COND_DISEASE_CASE_RT	CONDITION_LOCATOR_ID		Unique identifier for the locator associated to the condition
SURVWEB_COND_DISEASE_CASE_RT	DIAGNOSIS_NOTIFICATION		Answers "Was person notified of diagnosis?"
SURVWEB_COND_DISEASE_CASE_RT	DIED_OF_THIS_ILLNESS		Answers "Did person die of this illness?" Listed on the death certificate as one of the causes of death.

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_DISEASE_CASE_RT	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_DISEASE_CASE_RT	ENTRY_USERID		Specifies user ID that originally entered record into the system. Value derived from Database System date.
SURVWEB_COND_DISEASE_CASE_RT	HOSPITALIZED_FOR_THIS_ILLNESS		Yes/No/Unknown was the patient hospitalized due to illness
SURVWEB_COND_DISEASE_CASE_RT	DAYS_HOSPITALIZED		Number of days the patient was hospitalized for this illness.
SURVWEB_COND_DISEASE_CASE_RT	HOUSEHOLD_DAYCARE		Answers "Does a member of the household work at or attend a daycare?"
SURVWEB_COND_DISEASE_CASE_RT	HOUSEHOLD_FOODHANDLER		Answers "Is a member of the household a foodhandler?"
SURVWEB_COND_DISEASE_CASE_RT	HOUSEHOLD_HEALTHCARE_WORKER		Answers "Does a member of the household work in a healthcare field?"
SURVWEB_COND_DISEASE_CASE_RT	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_DISEASE_CASE_RT	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_DISEASE_CASE_RT	OTHER_ASSOCIATED_CASES		If other persons became ill from contact with this person.
SURVWEB_COND_DISEASE_CASE_RT	OUTBREAK_ASSOCIATED		Answers "Is the condition part of an outbreak?"
SURVWEB_COND_DISEASE_CASE_RT	OUTBREAK_COMMENTS		Notes on outbreak
SURVWEB_COND_DISEASE_CASE_RT	PERSON_DAYCARE		Answers "Does the person work at or attend a daycare?"
SURVWEB_COND_DISEASE_CASE_RT	PERSON_FOODHANDLER		Answers "Is person a foodhandler?"
SURVWEB_COND_DISEASE_CASE_RT	PERSON_HEALTHCARE_WORKER		Answers "Does the person work in a healthcare field?"
SURVWEB_COND_DISEASE_CASE_RT	PREGNANT_AT_DIAGNOSIS		Answers "Was person pregnant at diagnosis?"
SURVWEB_COND_DISEASE_CASE_RT	REPORTER_TYPE		Type of reporter, i.e. hospital, laboratory, etc.
SURVWEB_COND_DISEASE_CASE_RT	REPORTER_TYPE_OTHER		Type of reporter if not in reporter type lookup value
SURVWEB_COND_DISEASE_CASE_RT	STATE_OUTBREAK_ID_CODE		If part of an outbreak, type of outbreak CD, etc.
SURVWEB_COND_DISEASE_CASE_RT	STATE_OUTBREAK_ID_NUMBER		Unique identifier assigned (manually) to outbreak
SURVWEB_COND_DISEASE_CASE_RT	TYPE OF OUTBREAK		Type of outbreak, i.e. foodborne, waterborne, etc.
SURVWEB_COND_DISEASE_CASE_RT	TREATMENT_ADEQUATE		Was the treatment adequate (STD related)

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_DISEASE_CASE_RT	INCIDENTAL		Did the person received incidental antibiotics (STD related)
SURVWEB_COND_DISEASE_CASE_RT	ANTI_RETROVIRAL_12		Did the person receive Anti-Retro Viral drugs in the last 12 months.
SURVWEB_COND_DISEASE_CASE_RT	ANTI_RETROVIRAL_EVER		Did the person receive Anti Retro Viral drugs ever
SURVWEB_COND_DRUG_SUSCEP	TABLE COMMENTS: This entity contains tests if condition is susceptible to the drug(s).		
SURVWEB_COND_DRUG_SUSCEP	SURVWEB_COND_DRUG_SUSCEPT_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_DRUG_SUSCEP.
SURVWEB_COND_DRUG_SUSCEP	SURVWEB_CONDITION_ID	FK	Identifies condition associated with drug susceptibility.
SURVWEB_COND_DRUG_SUSCEP	AS_OF_DATE		Date of Susceptibility Testing
SURVWEB_COND_DRUG_SUSCEP	DRUG_NAME		Name of Drug Tested
SURVWEB_COND_DRUG_SUSCEP	DRUG_OTHER		Name of Drug Tested if not in drug lookup values
SURVWEB_COND_DRUG_SUSCEP	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_DRUG_SUSCEP	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_DRUG_SUSCEP	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_DRUG_SUSCEP	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_DRUG_SUSCEP	REASON_NOT_DONE		Reason if susceptibility testing was not Done
SURVWEB_COND_DRUG_SUSCEP	REASON_OTHER		Reason if not in the reason lookup values if susceptibility testing was not Done
SURVWEB_COND_DRUG_SUSCEP	SPECIMEN_TYPE		Type of specimen (In development, no data yet)
SURVWEB_COND_DRUG_SUSCEP	SPECIMEN_SOURCE_ANATOMIC_TEXT		Type of specimen source (In development, no data yet)
SURVWEB_COND_DRUG_SUSCEP	SUSCEPTIBILITY_RESULT		Result of Susceptibility Testing
SURVWEB_COND_DRUG_SUSCEP	INITIAL_FINAL		Is this the initial drug susceptibility testing or the final drug susceptibility testing (TB Disease)?
SURVWEB_COND_ENC_ADVERS_EFFECT	TABLE COMMENTS: This entity contains adverse effects and is linked to a treatment using		

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_ENC_ADVERS_EFFECT	SURVWEB_COND_ENC_ADV_EFFEC_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_ENC_ADVERSE_EFFECTS.
SURVWEB_COND_ENC_ADVERS_EFFECT	SURVWEB_COND_ENC_TRE_ASSOC_ID	FK	Identified the encounter treatment the record is associated with.
SURVWEB_COND_ENC_ADVERS_EFFECT	ADVERSE_EFFECT		Adverse effect of treatment at time of encounter
SURVWEB_COND_ENC_ADVERS_EFFECT	ADVERSE_EFFECT_OTHER		Adverse effect of treatment at time of encounter if not in lookup values
SURVWEB_COND_ENC_ADVERS_EFFECT	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_ENC_ADVERS_EFFECT	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_ENC_ADVERS_EFFECT	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_ENC_ADVERS_EFFECT	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_ENC_TREAT_ASSOC	TABLE COMMENTS: This entity contains medications and compliance to medication. It is linked to a adverse		
SURVWEB_COND_ENC_TREAT_ASSOC	SURVWEB_COND_ENC_TRE_ASSOC_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_ENC_TRE_ASSOC.
SURVWEB_COND_ENC_TREAT_ASSOC	SURVWEB_COND_ENCOUNTER_ID	FK	Identified the encounter the record is associated with
SURVWEB_COND_ENC_TREAT_ASSOC	SURVWEB_COND_TREATMENT_ID	FK	Identified the treatment the record is associated with
SURVWEB_COND_ENC_TREAT_ASSOC	COMPLIANCE_CODE		Answers "Was the person compliant with treatment."
SURVWEB_COND_ENC_TREAT_ASSOC	ENTRY_DATETIME		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_ENC_TREAT_ASSOC	ENTRY_USERID		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_ENC_TREAT_ASSOC	LAST_CHANGED_DATETIME		USERID of the person who made the last change to the record.(row).

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_ENC_TREAT_ASSOC	LAST_CHANGED_USERID		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_ENCOUNTER	TABLE COMMENTS: This entity contains records of encounters (documentation of meeting).		
SURVWEB_COND_ENCOUNTER	SURVWEB_COND_ENCOUNTER_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_ENCOUNTER.
SURVWEB_COND_ENCOUNTER	SURVWEB_CONDITION_ID	FK	Identifies the condition record is associated with
SURVWEB_COND_ENCOUNTER	ALLERGY_IND		Indicates if person has allergies at time of encounter
SURVWEB_COND_ENCOUNTER	DOT		Directly Observed Therapy
SURVWEB_COND_ENCOUNTER	DOT_LOCATION		Directly Observed Therapy Location
SURVWEB_COND_ENCOUNTER	ENCOUNTER_DATE		Date of the encounter
SURVWEB_COND_ENCOUNTER	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_ENCOUNTER	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_ENCOUNTER	EVALUATOR_FIRST_NAME		Evaluators First Name
SURVWEB_COND_ENCOUNTER	EVALUATOR_LAST_NAME		Evaluators Last Name
SURVWEB_COND_ENCOUNTER	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_ENCOUNTER	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_ENCOUNTER	LIVER_ENZYME_IND		Indicates if person has elevated liver enzymes at time of encounter
SURVWEB_COND_ENCOUNTER	NEXT_ENCOUNTER_DATE		Date of next encounter
SURVWEB_COND_ENCOUNTER	NEXT_ENCOUNTER_TIME		Time of next encounter
SURVWEB_COND_ENCOUNTER	REASON_NO_DOT		Reason if not directly observed therapy
SURVWEB_COND_ENCOUNTER	SIGN_SYMPTOM_IND		Indicates if the person was showing signs and symptoms of disease at time of encounter
SURVWEB_COND_ENTERIC	TABLE COMMENTS: The entity includes a record for each enteric condition that has the YNU question about Unpasteurized Dairy. THIS TABLE NO LONGER USED AFTER 1/6/2011 IMPLEMENTATION. See SURVWEB_COND_SUPP_INFO table.		
This table has been removed. Unpasteurized Dairy variable has been moved to the SURVWEB_COND_SUPP_INFO table. THIS TABLE NO LONGER USED AFTER 1/6/2011 IMPLEMENTATION.			
SURVWEB_COND_FACTOR	TABLE COMMENTS: Entity will store information about risk factors related to a person / condition combination.		

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_FACTOR	SURVWEB_COND_FACTOR_ID	PK	Oracle sequence generated unique identifier - PRIMARY KEY.
SURVWEB_COND_FACTOR	SURVWEB_CONDITION_ID	FK	System generated number to uniquely identify each instance (row) of the SURV CONDITION.
SURVWEB_COND_FACTOR	BEGIN_DATE		Date the factor begin
SURVWEB_COND_FACTOR	EMPLOYER_NAME		Name of Employer
SURVWEB_COND_FACTOR	END_DATE		Date the factor ended
SURVWEB_COND_FACTOR	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_FACTOR	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_FACTOR	EXCLUDED_FROM_WORK		If High Risk Occupation, person was excluded from work
SURVWEB_COND_FACTOR	EXCLUDED_HIGH_RISK_DUTIES		If High Risk Occupation, person was excluded from high risk duties
SURVWEB_COND_FACTOR	FACTOR		Contains the factor relating to the condition.
SURVWEB_COND_FACTOR	FACTOR_OTHER		Contains the factor relating to the condition if not in the lookup values
SURVWEB_COND_FACTOR	INDEX_STATE_ID_NUMBER		Unique identifier of the condition that was the index case.
SURVWEB_COND_FACTOR	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_FACTOR	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_FACTOR	ADDITIONAL_INFORMATION		Additional Information requested on Supplemental forms (Hepatitis and TB Disease)
SURVWEB_COND_FACTOR	ADDITIONAL_INFORMATION_OTHER		If Additional information selected is other, specific information
SURVWEB_COND_FACTOR	CONTACT_TYPE		If factor includes "contact", type of contact
SURVWEB_COND_FACTOR	CONTACT_TYPE_OTHER		If contact selected is other, specific contact information
SURVWEB_COND_FACTOR	FREQUENCY		If factor is "contact to human blood", frequency of contact
SURVWEB_COND_FACTOR	DATE_EXCLUDED		If factor includes "foodhandler", date excluded from work
SURVWEB_COND_FACTOR	FACILITY_NOTIFIED		If factor is Blood Transfusion or Organ/Tissue Transplant, was facility notified.

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_FACTOR	DATE_NOTIFIED		If facility notified is yes, date of notification.
SURVWEB_COND_FACTOR	REASON_FOR_TRAVEL		Reason for travel
SURVWEB_COND_FACTOR	REASON_FOR_TRAVEL_OTHER		Reason for travel if not in lookup values.
SURVWEB_COND_FACTOR	TRAVEL_CITY		City Traveled to
SURVWEB_COND_FACTOR	TRAVEL_COUNTRY		Country Traveled to
SURVWEB_COND_FACTOR	TRAVEL_LOCATION		In State, Out State, Out of Country - Where traveled
SURVWEB_COND_FACTOR	COUNTY		County Traveled to or exposed in
SURVWEB_COND_FACTOR	TRAVEL_STATE		State Traveled to
SURVWEB_COND_FACTOR	CUSTODY_IMMIGRATION		If person has factor of "RESIDENT CORRECTIONAL FACILITY", this field is enabled to capture YES, NO, UNKNOWN for if the person is under custody of Immigrations (TB DISEASE)
SURVWEB_COND_FACTOR	PRIMARY_OCCUPATION		If a OCCUPATION is selected as the FACTOR then this field is enabled to allow the user to select if it is the PRIMARY occupation. (TB DISEASE)
SURVWEB_COND_FOOD_EXPOSURE	TABLE COMMENTS: This entity defines information about the exposure to FOODS.		
SURVWEB_COND_FOOD_EXPOSURE	SURVWEB_COND_FOOD_EXP_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_FOOD_EXPOSURE.
SURVWEB_COND_FOOD_EXPOSURE	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_FOOD_EXPOSURE	CITY		Captures the city where exposure occurred.
SURVWEB_COND_FOOD_EXPOSURE	COUNTRY		Captures the country where exposure occurred.
SURVWEB_COND_FOOD_EXPOSURE	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_FOOD_EXPOSURE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_FOOD_EXPOSURE	EXPOSURE		Food Exposure . Example: Grocery, Restaurant, Other, etc.
SURVWEB_COND_FOOD_EXPOSURE	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_FOOD_EXPOSURE	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_FOOD_EXPOSURE	LOCATION		Captures the location of exposure, instate, outstate, outcountry
SURVWEB_COND_FOOD_EXPOSURE	NAME		Captures name of grocery, restaurant, etc.
SURVWEB_COND_FOOD_EXPOSURE	OTHER_TYPE		Adds more definition to the Exposure when type is other.
SURVWEB_COND_FOOD_EXPOSURE	STATE		Captures the state where exposure occurred.
SURVWEB_COND_FOOD_EXPOSURE	TYPE		Adds more definition to the Exposure, Type of Grocery, Type of Restaurant, etc.
SURVWEB_COND_IDENTIFIER	TABLE COMMENTS: This entity captures other condition identifiers (NETSS ID and RVCT Number).		
SURVWEB_COND_IDENTIFIER	SURVWEB_COND_IDENTIFIER_ID	PK	System generated number to uniquely identify each instance (row) of the SURV COND IDENTIFIER.
SURVWEB_COND_IDENTIFIER	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_IDENTIFIER	COND_IDENTIFIER		Identifier (actual number)
SURVWEB_COND_IDENTIFIER	COND_IDENTIFIER TYPE		Type of Identifier (RVCT, etc.)
SURVWEB_COND_IDENTIFIER	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_IDENTIFIER	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_IDENTIFIER	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_IDENTIFIER	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_INCID_TREATMENT	TABLE COMMENTS: This entity captures information about incidental antibiotics the person has taken. (STD related)		
SURVWEB_COND_INCID_TREATMENT	SURVWEB_COND_INCID_TREAT_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_INCID_TREATMENT
SURVWEB_COND_INCID_TREATMENT	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_INCID_TREATMENT	ANTIBIOTIC_TREATMENT		The treatment (drug/antibiotic) - Free text - no dropdown listing.
SURVWEB_COND_INCID_TREATMENT	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_INCID_TREATMENT	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_INCID_TREATMENT	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_INCID_TREATMENT	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_INFANTS_CONTACTS	TABLE COMMENTS: This entity captures infants and contacts associated to the condition.		
SURVWEB_COND_INFANTS_CONTACTS	SURVWEB_COND_INFANT_CONTACT_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_INFANTS_CONTACTS
SURVWEB_COND_INFANTS_CONTACTS	SURVWEB_CONDITION_ID	FK	Identifier of condition record associated with
SURVWEB_COND_INFANTS_CONTACTS	INFANT_CONTACT_PARTY_ID		The Survweb_Party_ID of the infant or contact.
SURVWEB_COND_INFANTS_CONTACTS	RELATIONSHIP		The relationship of the contact to the pregnancy condition.
SURVWEB_COND_INFANTS_CONTACTS	RELATIONSHIP_OTHER		If relationship is OTHER, specify
SURVWEB_COND_INFANTS_CONTACTS	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_INFANTS_CONTACTS	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_INFANTS_CONTACTS	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_INFANTS_CONTACTS	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_INTERVIEW_RECORD	TABLE COMMENTS: This entity captures infants and contacts associated to the condition.		
SURVWEB_COND_INTERVIEW_RECORD	SURVWEB_COND_INTERVIEW_REC_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_INTERVIEW_RECORD
SURVWEB_COND_INTERVIEW_RECORD	SURVWEB_CONDITION_ID	FK	Identifier of condition record associated with
SURVWEB_COND_INTERVIEW_RECORD	DATE_ASSIGNED		Date the interview was assigned to worker

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_INTERVIEW_RECORD	WORKER_NUMBER		Worker Number of the Person Assigned to do interview.
SURVWEB_COND_INTERVIEW_RECORD	METHOD_CASE_DETECTION		Method Case Detection of the Interview
SURVWEB_COND_INTERVIEW_RECORD	FACILITY_FIRST_TESTED		Facility First Tested for the Interview
SURVWEB_COND_INTERVIEW_RECORD	INTERVIEWED		Was there an interview.
SURVWEB_COND_INTERVIEW_RECORD	REASON_NOT_INTERVIEWED		Reason there was no interview
SURVWEB_COND_INTERVIEW_RECORD	DATE_INTERVIEW		Date of Interview
SURVWEB_COND_INTERVIEW_RECORD	TYPE_INTERVIEW		Type of Interview (Original Interview, ReInterview)
SURVWEB_COND_INTERVIEW_RECORD	CONTACTS_INITIATED		Was contacts initiated in the interview.
SURVWEB_COND_INTERVIEW_RECORD	INTERVIEW_PERIOD		What is the Interview Period.
SURVWEB_COND_INTERVIEW_RECORD	DATE_CLOSED		Date Interview was closed.
SURVWEB_COND_INTERVIEW_RECORD	SUPERVISOR_ID		Worker Number of the Supervising Worker
SURVWEB_COND_INTERVIEW_RECORD	SOURCE_SPREAD		Source or Spread
SURVWEB_COND_INTERVIEW_RECORD	MALE_PARTNERS_NUMBER_12		Number of Male Partners in last 12 months.
SURVWEB_COND_INTERVIEW_RECORD	MALE_PARTNERS_REF_UNK_12		Refused / Unknown Male Partner in last 12 months.
SURVWEB_COND_INTERVIEW_RECORD	FEMALE_PARTNERS_NUMBER_12		Number of Female Partners in last 12 months.
SURVWEB_COND_INTERVIEW_RECORD	FEMALE_PARTNERS_REF_UNK_12		Refused / Unknown Female Partner in last 12 months.
SURVWEB_COND_INTERVIEW_RECORD	TRANSGENDER_PART_NUM_12		Number of Transgender Partners in last 12 months.
SURVWEB_COND_INTERVIEW_RECORD	TRANSGENDER_PART_REF_UNK_12		Refused / Unknown Transgender Partner in last 12 months.
SURVWEB_COND_INTERVIEW_RECORD	MALE_PARTNERS_NUMBER_IX		Number of Male Partners during interview period.
SURVWEB_COND_INTERVIEW_RECORD	MALE_PARTNERS_REF_UNK_IX		Refused / Unknown Male Partner during interview period.
SURVWEB_COND_INTERVIEW_RECORD	FEMALE_PARTNERS_NUMBER_IX		Number of Female Partners during interview period.
SURVWEB_COND_INTERVIEW_RECORD	FEMALE_PARTNERS_REF_UNK_IX		Refused / Unknown Female Partner during interview period.
SURVWEB_COND_INTERVIEW_RECORD	TRANSGENDER_PARTNERS_NUM_IX		Number of Transgender Partners during interview period.
SURVWEB_COND_INTERVIEW_RECORD	TRANSGENDER_PART_REF_UNK_IX		Refused / Unknown Transgender Partner during interview period.
SURVWEB_COND_INTERVIEW_RECORD	SEX_MALE		Had sex with a male
SURVWEB_COND_INTERVIEW_RECORD	SEX_FEMALE		Had sex with a female:
SURVWEB_COND_INTERVIEW_RECORD	SEX_ANONYMOUS_PARTNER		Had sex with an anonymous partner
SURVWEB_COND_INTERVIEW_RECORD	SEX_WITHOUT_CONDOM		Had sex without using condom
SURVWEB_COND_INTERVIEW_RECORD	SEX_WHILE_INTOXICATED		Had sex while intoxicated or high
SURVWEB_COND_INTERVIEW_RECORD	SEX_DRUGS_MONEY		Exchanged drugs/money for sex

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_INTERVIEW_RECORD	SEX_KNOWN_MSM		Had sex with person known to be MSM
SURVWEB_COND_INTERVIEW_RECORD	SEX_KNOWN_IDU		Had sex with person known to be IDU
SURVWEB_COND_INTERVIEW_RECORD	HETROSEXUAL_CONTACT_HIV		Heterosexual contact with person with HIV/AIDS
SURVWEB_COND_INTERVIEW_RECORD	INCARCERATED		Been Incarcerated
SURVWEB_COND_INTERVIEW_RECORD	INJECTION_DRUG_USE		Engaged in injection drug use:
SURVWEB_COND_INTERVIEW_RECORD	FACTORS_OTHER		Other Factors
SURVWEB_COND_INTERVIEW_RECORD	FACTORS_OTHER_SPECIFY		Specify Other Factors:
SURVWEB_COND_INTERVIEW_RECORD	DRUGS_NONE		Has used injection or non injection drugs?
SURVWEB_COND_INTERVIEW_RECORD	DRUGS_CRACK		Crack:
SURVWEB_COND_INTERVIEW_RECORD	DRUGS_COCAINE		Cocaine:
SURVWEB_COND_INTERVIEW_RECORD	DRUGS_HEROIN		Heroin:
SURVWEB_COND_INTERVIEW_RECORD	DRUGS_METH		Methamphetamines:
SURVWEB_COND_INTERVIEW_RECORD	DRUGS_NITRATE		Nitrates/Poppers
SURVWEB_COND_INTERVIEW_RECORD	DRUGS_ERECTILE_DYS_MED		Erectile Dysfunction Medications
SURVWEB_COND_INTERVIEW_RECORD	DRUGS_OTHER		Other Drugs:
SURVWEB_COND_INTERVIEW_RECORD	DRUGS_OTHER_SPECIFY		Specify Other Drug(s):
SURVWEB_COND_INTERVIEW_RECORD	PLACES_MET_PARTNERS		UNKNOWN, REFUSED, DID NOT ASK - PLACES_MET_PARTNERS
SURVWEB_COND_INTERVIEW_RECORD	PLACES_HAD_SEX		UNKNOWN, REFUSED, DID NOT ASK - PLACES_HAD_SEX
SURVWEB_COND_INTERVIEW_RECORD	ANTIBIOTIC_TREAT_YN		Did person receive incidental antibiotics
SURVWEB_COND_INTERVIEW_RECORD	ANTI_RETRO_LAST_12		Anti Retroviral Therapy for HIV in last 12 months
SURVWEB_COND_INTERVIEW_RECORD	ANTI_RETRO_EVER		Anti Retroviral Therapy for HIV Ever
SURVWEB_COND_INTERVIEW_RECORD	METHOD_CASE_DETECTION_OTHER		If method is OTHER, Specify Method Case Detection of the Interview
SURVWEB_COND_INTERVIEW_RECORD	FACILITY_FIRST_TESTED_OTHER		If facility is OTHER, specify facility first tested.
SURVWEB_COND_INTERVIEW_RECORD	REASON_NOT_INTERVIEWED_OTHER		If reason is OTHER, specify reason not interviewe
SURVWEB_COND_INTERVIEW_RECORD	SEX_TRANSGENDER		Had sex with a transgender:
SURVWEB_COND_INTERVIEW_RECORD	PLACE_INTERVIEW		Place of Interview
SURVWEB_COND_INTERVIEW_RECORD	PLACE_INTERVIEW_OTHER		If place is OTHER, specify place of interview
SURVWEB_COND_INTERVIEW_RECORD	SHARED_DRUG_INJECT_EQUIPMENT		Shared injection drug equipment:
SURVWEB_COND_INTERVIEW_RECORD	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_INTERVIEW_RECORD	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_INTERVIEW_RECORD	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_INTERVIEW_RECORD	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_IX_PLACES	TABLE COMMENTS: This entity captures places that they have met or had sex.		
SURVWEB_COND_IX_PLACES	SURVWEB_COND_IX_PLACES_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_IX_PLACES
SURVWEB_COND_IX_PLACES	SURVWEB_COND_INTERVIEW_REC_ID	FK	The unique identifier (primary key) of the SURVWEB_COND_INTERVIEW_RECORD to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_IX_PLACES	PLACE_TYPE		Type of Place
SURVWEB_COND_IX_PLACES	PLACE_TYPE_OTHER		If Type of place is Other, specify
SURVWEB_COND_IX_PLACES	NAME		Name of Place
SURVWEB_COND_IX_PLACES	MET_HAD_SEX		Meet, Had Sex or Both at the place.
SURVWEB_COND_IX_PLACES	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_IX_PLACES	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_IX_PLACES	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_IX_PLACES	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_JURISDICTION	TABLE COMMENTS: This entity captures jurisdiction records for the conditions. Each condition will have at least one of each - C COUNTED" and a M "MANAGE" jurisdiction record.		
SURVWEB_COND_JURISDICTION	SURVWEB_COND_JURISDICTION_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_JURISDICTION.
SURVWEB_COND_JURISDICTION	SURVWEB_CONDITION_ID	FK	Identifier of condition record associated with
SURVWEB_COND_JURISDICTION	COUNTED_OR_MANAGE_IND		Indicates if jurisdiction is COUNTED or MANAGED

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_JURISDICTION	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_JURISDICTION	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_JURISDICTION	JURISDICTION		Jurisdiction (county or city)
SURVWEB_COND_JURISDICTION	JURISDICTION_TYPE		Type of jurisdiction (case, provider, etc.)
SURVWEB_COND_JURISDICTION	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_JURISDICTION	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_JURISDICTION	SURVWEB_REF_JURISDICTION_ID		Reference id for the jurisdiction
SURVWEB_COND_JURISDICTION	JURISDICTION_LOCATOR_ID		The Locator ID that determined the jurisdiction.
SURVWEB_COND_LINK_CASE	TABLE COMMENTS: This entity contains other states case number and reason it is linked to a TB DISEASE case in Missouri.		
SURVWEB_COND_LINK_CASE	SURVWEB_COND_LINK_CASE_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_NOTE.
SURVWEB_COND_LINK_CASE	SURVWEB_CONDITION_ID	FK	Identifies condition the record is associated with
SURVWEB_COND_LINK_CASE	STATE_CASE_NUMBER		Case Number for the State that the Patient is linked to
SURVWEB_COND_LINK_CASE	LINK_REASON		Reason patient is linked to the state.
SURVWEB_COND_LINK_CASE	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_LINK_CASE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_LINK_CASE	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_LINK_CASE	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_NOTE	TABLE COMMENTS: This entity contains free-text entries of comments or notes related to the condition. Note		

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_NOTE	SURVWEB_COND_NOTE_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_NOTE.
SURVWEB_COND_NOTE	SURVWEB_CONDITION_ID	FK	Identifies condition the record is associated with
SURVWEB_COND_NOTE	CONTACT_ID		NOT USED IN WEBSURV - Identifies the contact the note is associated with
SURVWEB_COND_NOTE	ENCOUNTER_ID		NOT USED IN WEBSURV - Identifies the encounter the note is associated with
SURVWEB_COND_NOTE	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_NOTE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_NOTE	NOTE_TEXT		Text of the note
SURVWEB_COND_NOTE	NOTE_TYPE		Type of note, i.e. symptom, diagnostic, background, etc.
SURVWEB_COND_OTHER_FOODS	TABLE COMMENTS: This entity defines information about the exposure to FOODS.		
SURVWEB_COND_OTHER_FOODS	SURVWEB_COND_OTHER_FOODS_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_OTHER_FOODS.
SURVWEB_COND_OTHER_FOODS	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_OTHER_FOODS	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_OTHER_FOODS	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_OTHER_FOODS	FOOD_TYPE		Food Type. Example: Ethnic, Home Canned, etc.
SURVWEB_COND_OTHER_FOODS	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_OTHER_FOODS	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_OTHER_FOODS	SPECIFIC_FOOD		Free text entry that adds more specifics to the Food Type
SURVWEB_COND_OTHER_FOODS	DATE_CONSUMED		Date the specific food was eaten.
SURVWEB_COND_PARTY	TABLE COMMENTS: This entity captures all parties associated to the condition (PERSON, REPORTER, ETC)		
SURVWEB_COND_PARTY	SURVWEB_COND_PARTY_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_PARTY.
SURVWEB_COND_PARTY	SURVWEB_CONDITION_ID	FK	Identifies the condition the record is associated with
SURVWEB_COND_PARTY	SURVWEB_PARTY_ID	FK	Identifies the party for this record.
SURVWEB_COND_PARTY	CONTACT_FIRST_NAME		First Name of Contact Person
SURVWEB_COND_PARTY	CONTACT_LAST_NAME		Last Name of Contact Person
SURVWEB_COND_PARTY	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_PARTY	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_PARTY	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_PARTY	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_PARTY	PARTY_TYPE		Type of party, CLIENT, PROVIDER, etc.
SURVWEB_COND_PARTY	PRIMARY_PROVIDER		Indicates if the PROVIDER is PRIMARY
SURVWEB_COND_PARTY	STATUS		Status
SURVWEB_COND_PARTY	SERVICE_PROVIDED		Type of service provided - hospital, prenatal practice, etc.
SURVWEB_COND_PARTY	SERVICE_PROVIDED_OTHER		If type of service is OTHER, specify
SURVWEB_COND_PARTY	DATE_VISIT		Date of first visit to the medical provider
SURVWEB_COND_POSSIBLE_SOURCE	TABLE COMMENTS: This entity defines information about the possible source.		
SURVWEB_COND_POSSIBLE_SOURCE	SURVWEB_COND_POSS_SOURCE_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_POSSIBLE_SOURCE.
SURVWEB_COND_POSSIBLE_SOURCE	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_POSSIBLE_SOURCE	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_POSSIBLE_SOURCE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_POSSIBLE_SOURCE	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_POSSIBLE_SOURCE	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_POSSIBLE_SOURCE	POSSIBLE_SOURCE		Possible source of the infection
SURVWEB_COND_POSSIBLE_SOURCE	OTHER_POSSIBLE_SOURCE		Possible source of the infection if not in the dropdown.
SURVWEB_COND_POSSIBLE_SOURCE	REASON		NOT USED IN WEBSURV - Captures the reason for the possible source.
SURVWEB_COND_POSSIBLE_SOURCE	SUBSTANTIATED		NOT USED IN WEBSURV - Captures whether the possible source is substantiated.
SURVWEB_COND_PREGNANCY	TABLE COMMENTS: This entity defines information about pregnancy information on the condition.		
SURVWEB_COND_PREGNANCY	SURVWEB_COND_PREGNANCY_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_PREGNANCY.
SURVWEB_COND_PREGNANCY	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_PREGNANCY	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_PREGNANCY	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_PREGNANCY	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_PREGNANCY	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_PREGNANCY	PREGNANT_AT_DIAGNOSIS		Was the person pregnant at time of diagnosis?
SURVWEB_COND_PREGNANCY	DUE_DATE		Due Date for the pregnancy

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_PREGNANCY	PREGNANCY_OUTCOME		Outcome of the pregnancy
SURVWEB_COND_PREGNANCY	OUTCOME_DATE		Outcome Date of the pregnancy (Date of birth for infant, date of miscarriage/termination, etc.)
SURVWEB_COND_PREGNANCY	ADOPTED_NO_PARENTAL_RIGHTS		Was the infant adopted or parental rights terminated?
SURVWEB_COND_PREVENTION	TABLE COMMENTS: This entity captures whether the TB condition was preventable.		
SURVWEB_COND_PREVENTION	SURVWEB_COND_PREVENTION_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_PREVENTION.
SURVWEB_COND_PREVENTION	SURVWEB_CONDITION_ID	FK	Identifies condition record is associated with
SURVWEB_COND_PREVENTION	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_PREVENTION	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_PREVENTION	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_PREVENTION	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_PREVENTION	PREVENTABLE		Was the case preventable?
SURVWEB_COND_PREVENTION	REASON		Reason for TB DISEASE prevention
SURVWEB_COND_QA	TABLE COMMENTS: This entity captures the status of the QUALITY ASSURANCE review.		
SURVWEB_COND_QA	SURVWEB_COND_QA_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_QA.
SURVWEB_COND_QA	SURVWEB_CONDITION_ID	FK	Identifies condition record is associated to
SURVWEB_COND_QA	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_QA	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_QA	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_QA	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_QA	QA_COMPLETE		Has QA been completed?
SURVWEB_COND_RESOLUTION	TABLE COMMENTS: This entity indicates the current status/resolution of the investigation Active, Needs		
SURVWEB_COND_RESOLUTION	SURVWEB_COND_RESOLUTION_ID	PK	System generated unique identifier.
SURVWEB_COND_RESOLUTION	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_RESOLUTION	CLOSED_REASON		Reason the condition was closed
SURVWEB_COND_RESOLUTION	ENTRY_DATETIME		System generated date and time the CONDITION RESOLUTION was created.
SURVWEB_COND_RESOLUTION	ENTRY_USERID		User ID of person entering a resolution instance.
SURVWEB_COND_RESOLUTION	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_RESOLUTION	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_RESOLUTION	REASON_OTHER		Reason the condition was closed if not in the lookup values.
SURVWEB_COND_RESOLUTION	RESOLUTION		Lookup table code that indicates the CONDITION RESOLUTION.
SURVWEB_COND_RESOLUTION	RESOLUTION_DATE		Date of the Resolution
SURVWEB_COND_SEX_PARTNERS_STD	TABLE COMMENTS: This entity captures the information on number of sex partners and if treated for sexually transmitted disease.		
SURVWEB_COND_SEX_PARTNERS_STD	SURVWEB_COND_SEX_PARTNERS_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_SEX_PARTNERS_STD.
SURVWEB_COND_SEX_PARTNERS_STD	SURVWEB_CONDITION_ID	FK	Identifies condition record is associated to.
SURVWEB_COND_SEX_PARTNERS_STD	MALE_PARTNERS		Number of Male Sex Partners
SURVWEB_COND_SEX_PARTNERS_STD	FEMALE_PARTNERS		Number of Female Sex Partners
SURVWEB_COND_SEX_PARTNERS_STD	LIFETIME_PARTNERS		Number of Sex Partners during lifetime
SURVWEB_COND_SEX_PARTNERS_STD	TREATED_STD		Person has been treated for sexually transmitted disease (STD)
SURVWEB_COND_SEX_PARTNERS_STD	YEAR_TREATED_STD		Year person was treated for STD
SURVWEB_COND_SEX_PARTNERS_STD	TREATMENT_DRUG_STD		Drug person was treated with for STD
SURVWEB_COND_SEX_PARTNERS_STD	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_SEX_PARTNERS_STD	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_SEX_PARTNERS_STD	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_SEX_PARTNERS_STD	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_SITE	TABLE COMMENTS: This entity captures the site of the infection for TB DISEASE, i.e. PULMONARY.		
SURVWEB_COND_SITE	SURVWEB_COND_SITE_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_SITE.
SURVWEB_COND_SITE	SURVWEB_CONDITION_ID	FK	Identifies condition record is associated to.
SURVWEB_COND_SITE	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_SITE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_SITE	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_SITE	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_SITE	OTHER_SITE_ANATOMIC_CODE		If Site is other - Code of anatomic site
SURVWEB_COND_SITE	OTHER_SITE_ANATOMIC_TEXT		If Site is other - Text name of anatomic site
SURVWEB_COND_SITE	SITE		Site (Pulmonary, etc)
SURVWEB_COND_SITE	SITE_TYPE		Type of Site (Major or Additional)
SURVWEB_COND_STATUS	TABLE COMMENTS: This entity captures the current condition status (CDC case definitions).		
SURVWEB_COND_STATUS	SURVWEB_COND_STATUS_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_STATUS.
SURVWEB_COND_STATUS	SURVWEB_CONDITION_ID	FK	Identifies condition record is associated to.
SURVWEB_COND_STATUS	CONDITION_STATUS		Status of the Condition (confirmed, probable, etc)

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_STATUS	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_STATUS	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_STATUS	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_STATUS	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_STATUS	MONTH_COUNTED		Month Condition is counted
SURVWEB_COND_STATUS	RECORD_STATUS (defaults 'N')		Status of the Record (N or U)
SURVWEB_COND_STATUS	SENT_TO_CDC_DATE		Date the record was sent to CDC
SURVWEB_COND_STATUS	YEAR_COUNTED		Year Condition is counted
SURVWEB_COND_SUPP_INFO	TABLE COMMENTS: This entity captures additional supplemental information on any condition (Single answer questions).		
SURVWEB_COND_SUPP_INFO	SURVWEB_COND_SUPP_INFO_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_SUPP_INFO.
SURVWEB_COND_SUPP_INFO	SURVWEB_CONDITION_ID	FK	Identifies condition record is associated to.
SURVWEB_COND_SUPP_INFO	UNPAST_DAIRY		Was person exposed to Unpasteurized Dairy, Yes, No, Unknown
SURVWEB_COND_SUPP_INFO	DAYS_ICU		Number of Days in ICU
SURVWEB_COND_SUPP_INFO	PREVIOUS_DIAGNOSIS		Was the person previously diagnosed with this illness
SURVWEB_COND_SUPP_INFO	YEAR_PREV_DIAGNOSIS		Year of Previous Diagnosis
SURVWEB_COND_SUPP_INFO	IMMIGRATION_STATUS		Immigration Status, i.e. Employment VISA, etc.
SURVWEB_COND_SUPP_INFO	IMMIGRATION_STATUS_OTHER		If Immigration Status is OTHER, specify
SURVWEB_COND_SUPP_INFO	IMPORT_STATUS		Import Status (Acquired in Missouri, Outside MO, Outside USA, Unknown)
SURVWEB_COND_SUPP_INFO	OUTSIDE_USA_COUNTRY		If acquired outside USA, country
SURVWEB_COND_SUPP_INFO	OUTSIDE_MO_STATE		If acquired outside MO, State
SURVWEB_COND_SUPP_INFO	AUTOPSY_PERFORMED		Was autopsy performed.
SURVWEB_COND_SUPP_INFO	LOCATION_DEATH		Location of Death
SURVWEB_COND_SUPP_INFO	LOCATION_DEATH_OTHER		If location of death is other, specify.
SURVWEB_COND_SUPP_INFO	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_SUPP_INFO	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_SUPP_INFO	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_SUPP_INFO	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_SYMP_RASH	TABLE COMMENTS: This entity captures additional information on RASH symptoms.		
SURVWEB_COND_SYMP_RASH	SURVWEB_COND_SYMP_RASH_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_SYMP_RASH
SURVWEB_COND_SYMP_RASH	SURVWEB_SYMPTOM_ID	FK	Identifies symptom record is associated to.
SURVWEB_COND_SYMP_RASH	DISTRIBUTION		Distribution of the rash
SURVWEB_COND_SYMP_RASH	DISTRIBUTION_OTHER		If distribution is Other, specify
SURVWEB_COND_SYMP_RASH	MOST_DENSE		Location where rash is most dense.
SURVWEB_COND_SYMP_RASH	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_SYMP_RASH	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_SYMP_RASH	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_SYMP_RASH	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_SYMP_RASH_DESC	TABLE COMMENTS: This entity captures additional information on RASH symptoms.		
SURVWEB_COND_SYMP_RASH_DESC	SURVWEB_COND_SYMP_RASH_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_SYMP_RASH_DESC
SURVWEB_COND_SYMP_RASH_DESC	SURVWEB_SYMPTOM_ID	FK	Identifies symptom record is associated to.
SURVWEB_COND_SYMP_RASH_DESC	RASH_DESCRIPTION		Description of the rash
SURVWEB_COND_SYMP_RASH_DESC	RASH_DESCRIPTION_OTHER		If description is Other, specify
SURVWEB_COND_SYMP_RASH_DESC	RASH_STRUCTURE		Structure of Rash

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_SYMP_RASH_DESC	RASH_SIZE		Size of Rash
SURVWEB_COND_SYMP_RASH_DESC	DATE_APPEARED		FIELD IS NOT USED
SURVWEB_COND_SYMP_RASH_DESC	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_SYMP_RASH_DESC	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_SYMP_RASH_DESC	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_SYMP_RASH_DESC	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_SYMP_RASH_LOCAT	TABLE COMMENTS: This entity captures additional information on RASH symptoms.		
SURVWEB_COND_SYMP_RASH_LOCAT	SURVWEB_COND_SYMP_RASH_LOC_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_SYMP_RASH_LOCAT
SURVWEB_COND_SYMP_RASH_LOCAT	SURVWEB_SYMPTOM_ID	FK	Identifies symptom record is associated to.
SURVWEB_COND_SYMP_RASH_LOCAT	LOCATION		Location of the rash
SURVWEB_COND_SYMP_RASH_LOCAT	LOCATION_OTHER		If Location is Other, speficy
SURVWEB_COND_SYMP_RASH_LOCAT	DATE_APPEARED		Date Rash appeared at the location
SURVWEB_COND_SYMP_RASH_LOCAT	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_SYMP_RASH_LOCAT	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_SYMP_RASH_LOCAT	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_SYMP_RASH_LOCAT	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_SYMPTOM	TABLE COMMENTS: This entity contains information about the description of the symptom, the onset date, duration, etc.		

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_SYMPTOM	SURVWEB_COND_SYMPTOM_ID	PK	System generated number to uniquely identify each instance (row) of the SURV SYMPTOM table.
SURVWEB_COND_SYMPTOM	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_SYMPTOM	DURATION		The approximate period of time the symptom has persisted.
SURVWEB_COND_SYMPTOM	DURATION_UNIT		The type of period of measurement the symptom has persisted. i.e. minutes, hours, days, weeks, etc.
SURVWEB_COND_SYMPTOM	ENTRY_DATETIME		System generated date and time indicating when the instance (row) of the SURV SYMPTOM was added to the DOH Surveillance database.
SURVWEB_COND_SYMPTOM	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_SYMPTOM	FEVER_IN_DEGREES		Fever in Degrees
SURVWEB_COND_SYMPTOM	TEMPERATURE_UNIT		Celsius or Fahrenheit
SURVWEB_COND_SYMPTOM	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_SYMPTOM	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_SYMPTOM	ONSET_DATE		Indicates the day the symptom was first noticed by the client.
SURVWEB_COND_SYMPTOM	ONSET_TIME		Indicates the clock time the symptom was first noticed by the client.
SURVWEB_COND_SYMPTOM	SYMPTOM		Symptom
SURVWEB_COND_SYMPTOM	SYMPTOM_OTHER		Symptom if not in lookup values
SURVWEB_COND_SYMPTOM	SYMPTOM_SITE		Site of the symptom
SURVWEB_COND_SYMPTOM	SYMPTOM_SITE_OTHER		Site of the symptom if not in lookup values
SURVWEB_COND_SYMPTOM	CLINICIAN_OBSERVED		Did the Clinician observe the symptom
SURVWEB_COND_SYMPTOM	PATIENT_DESCRIBED		Did the Patient describe the symptom
SURVWEB_COND_TB_DISEASE	TABLE COMMENTS: This entity stores additional information(one to one) related to the CD1 case report/condition for TB DISEASE.		

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_TB_DISEASE	SURVWEB_COND_TB_DISEASE_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_TB_DISEASE.
SURVWEB_COND_TB_DISEASE	SURVWEB_CONDITION_ID	FK	Identifies the condition the record is associated to
SURVWEB_COND_TB_DISEASE	COUGHING_AT_DIAGNOSIS		Was person coughing at diagnosis
SURVWEB_COND_TB_DISEASE	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_TB_DISEASE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_TB_DISEASE	HOW_LONG_COUGHING		How long was person coughing
SURVWEB_COND_TB_DISEASE	HOW_LONG_COUGHING_UNIT		Person coughing in DAYS, WEEKS, etc.
SURVWEB_COND_TB_DISEASE	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_TB_DISEASE	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_TB_DISEASE	MULTIPLE_PREVIOUS_EPISODES		Was there multiple previous episodes
SURVWEB_COND_TB_DISEASE	PREVIOUS_DIAGNOSIS		Was there a previous diagnosis of TB Disease
SURVWEB_COND_TB_DISEASE	REFUGEE_IMMIGRANT_CLASS		What is the person's refugee immigrant classification
SURVWEB_COND_TB_DISEASE	IMMIGRATION_STATUS		What is the person's immigration status, i.e. WORK VISA, STUDENT VISA, etc.
SURVWEB_COND_TB_DISEASE	IMMIGRATION_STATUS_OTHER		If person immigration status is other, specify.
SURVWEB_COND_TB_DISEASE	VITAL_STATUS_AT_DIAGNOSIS		What is the person's vital status at diagnosis, i.e. LIVING or DECEASED
SURVWEB_COND_TB_DISEASE	YEAR_PREVIOUS_DIAGNOSIS		Year person was previously diagnosed.
SURVWEB_COND_TB_DISEASE	COUNT_STATUS		Is the condition countable in Missouri or another area?
SURVWEB_COND_TB_DISEASE	COUNTRY_INITIATED_IN		Country Initiated In if COUNT STATUS is "NON COUNTABLE – TB TREATMENT INITIATED IN ANOTHER COUNTRY"
SURVWEB_COND_TB_DISEASE	WITHIN_CITY_LIMITS		Does the person reside "Within City Limits" at time of condition.
SURVWEB_COND_TB_DISEASE	PATIENT_LIVED_OUT_USA		For pediatric patients, did the patient live outside the USA greater than 2 months.
SURVWEB_COND_TB_DISEASE	CULTURE_CONVERSION		Did the person convert from POSITIVE to NEGATIVE? (Entered on the TESTS screen)

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_TB_DISEASE	REASON_NOT_CONVERTED		If the person did not convert, the reason (Entered on the TESTS screen)
SURVWEB_COND_TB_DISEASE	REASON_NOT_CONVERTED_OTHER		If the reason the person did not convert is OTHER, then specify (Entered on the TESTS screen)
SURVWEB_COND_TB_INFECTON	TABLE COMMENTS: This entity stores additional information(one to one) related to the CD1 case report/condition for TB INFECTON.		
SURVWEB_COND_TB_INFECTON	SURVWEB_COND_TB_INFECTON_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_TB_INFECTON.
SURVWEB_COND_TB_INFECTON	SURVWEB_CONDITION_ID	FK	Identifies condition record is associated to
SURVWEB_COND_TB_INFECTON	BCG_VACCINE_IND		Indicates if BCG Vaccine as done
SURVWEB_COND_TB_INFECTON	CURRENT_QFERON_TEST_IND		Indicates if No current Quantiferon test was done
SURVWEB_COND_TB_INFECTON	CURRENT_SKIN_TEST_IND		Indicates if No current skin test was done.
SURVWEB_COND_TB_INFECTON	DOT_INDICATOR		Indicator of Directly Observed Therapy
SURVWEB_COND_TB_INFECTON	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_TB_INFECTON	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_TB_INFECTON	HIST_QFERON_TEST_IND		Indicates if No historical Quantiferon test was done
SURVWEB_COND_TB_INFECTON	HIST_SKIN_TEST_IND		Indicates if No historical skin test was done.
SURVWEB_COND_TB_INFECTON	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_TB_INFECTON	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_TB_INFECTON	MED_PROVIDED_BY		Medication provided by
SURVWEB_COND_TB_INFECTON	XRAY_IND		Indicates if No Xray was done
SURVWEB_COND_TEST_REASON	TABLE COMMENTS: This entity captures the reason why diagnostic testing was done.		
SURVWEB_COND_TEST_REASON	SURVWEB_COND_TEST_REASON_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_TEST_REASON.
SURVWEB_COND_TEST_REASON	SURVWEB_CONDITION_ID	FK	Identifies the condition the record is associated to.
SURVWEB_COND_TEST_REASON	EMPLOYER_RESIDENCE		Employer or Residence

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_TEST_REASON	EMPLOYER_RESIDENCE_OTHER		Employer or Residence if not in lookup values
SURVWEB_COND_TEST_REASON	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_TEST_REASON	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_TEST_REASON	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_TEST_REASON	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_TEST_REASON	REASON		Reason for testing
SURVWEB_COND_TEST_REASON	REASON_OTHER		Reason for testing if not in lookup values
SURVWEB_COND_TEST_REASON	RVCT_NUMBER		If the reason was contact to a case, gives the RVCT of that case.
SURVWEB_COND_TESTS	TABLE COMMENTS: This entity captures information about the laboratory as well as the test type and result.		
SURVWEB_COND_TESTS	SURVWEB_COND_TESTS_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_TESTS.
SURVWEB_COND_TESTS	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_TESTS	ABNORMAL_FINDINGS		TB TESTS ONLY - Abnormal Findings
SURVWEB_COND_TESTS	ABNORMAL_STATUS		TB TESTS ONLY - Abnormal Status
SURVWEB_COND_TESTS	ANERGIC		TB TESTS ONLY - Anergic for Mantoux
SURVWEB_COND_TESTS	CLASSIFICATION		Captures the SUBTYPE OR SEROTYPE of certain conditions causing organisms such as Salmonellosis
SURVWEB_COND_TESTS	ENCOUNTER_ID		NOT USED IN WEBSURV - Identifies the encounter
SURVWEB_COND_TESTS	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_TESTS	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_TESTS	LAB_CONDITION_PARTY_ID		Identifies Laboratory
SURVWEB_COND_TESTS	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_TESTS	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_TESTS	LOT_NUMBER		TB TESTS ONLY - Lot Number
SURVWEB_COND_TESTS	MANUFACTURER		TB TESTS ONLY - Manufacturer
SURVWEB_COND_TESTS	MIRU_CLUSTER		TB TESTS ONLY - MIRU Cluster
SURVWEB_COND_TESTS	MILIARY		TB TESTS ONLY - Yes or No
SURVWEB_COND_TESTS	OTHER_FINDINGS		TB TESTS ONLY - Other Findings
SURVWEB_COND_TESTS	OTHER_RESULT		Qualitative Result if not in lookup value
SURVWEB_COND_TESTS	OTHER_TEST_TYPE		Test type if not in lookup values.
SURVWEB_COND_TESTS	PATTERN		TB TESTS ONLY - Pattern
SURVWEB_COND_TESTS	QUALITATIVE_RESULT		Qualitative Result (Positive, Negative, etc)
SURVWEB_COND_TESTS	QUANTIFERON_RESULT		TB TESTS ONLY - Quantiferon result
SURVWEB_COND_TESTS	QUANTITATIVE_RESULT		Numeric result
SURVWEB_COND_TESTS	QUANTITATIVE_RESULT_UNIT		Unit for numeric result
SURVWEB_COND_TESTS	REFERENCE_RANGE		Reference range for the quantitative result
SURVWEB_COND_TESTS	RESULT_DATE		Identifies the date of the outcome result.
SURVWEB_COND_TESTS	SPECIMEN_DATE		Identifies the date the specimen was obtained from the client.
SURVWEB_COND_TESTS	SPECIMEN_ID		Laboratory assigned number from LAB REPORT form.
SURVWEB_COND_TESTS	SPECIMEN_PROCEDURE		Procedure for specimen collection
SURVWEB_COND_TESTS	SPECIMEN_SOURCE_ANATOMIC_TEXT		Specimen Source - Text Name
SURVWEB_COND_TESTS	SPECIMEN_TYPE		Type of specimen
SURVWEB_COND_TESTS	SUBMITTER_CONDITION_PARTY_ID		Identifies the submitter
SURVWEB_COND_TESTS	TEST_DATE		Date of Test
SURVWEB_COND_TESTS	TEST_TYPE		Type of diagnostic procedure/test. Example: RPR, VDRL, MHA-TP, etc.
SURVWEB_COND_TESTS	PREGNANT_AT_TEST		Is person pregnant at time of test - only available for Hepatitis B Acute and Hepatitis B Chronic conditions.
SURVWEB_COND_TESTS	SPECIMEN_TYPE_OTHER		If specimen type is OTHER, specify specimen type.
SURVWEB_COND_TESTS	QUANT_RESULT_INDICATOR		Quantitative Result Indicator (Equal to, Less Than, Greater Than)
SURVWEB_COND_TESTS	SUBMITTER_PHYSICIAN		Survweb_party_id for the Physician that is associated to the Submitter Organization
SURVWEB_COND_TESTS	DATE_RECEIVED		Date the Lab Result was received

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_TESTS	PERCENTAGE		Percentage Result (HIV test only)
SURVWEB_COND_TESTS	SUBMITTER_ICN		ICN number for the submitter - Lab must be State Public Health Laboratory before this can be populated. (STD only)
SURVWEB_COND_TESTS	POST_TEST_COUNSELED		Was the person post test counseled (HIV test only)
SURVWEB_COND_TESTS	COUNSELING_DATE		If Post Test Counseled is YES, the counseling date
SURVWEB_COND_TESTS	WORKER_NUMBER		If Post Test Counseled is YES, the worker number who completed the counseling
SURVWEB_COND_TESTS	MESSAGE_CONTROL_ID		The message id from an ELR message.
SURVWEB_COND_TESTS	ADDL_SPECIMEN_INFO		Additional Specimen information (Free text - no dropdown list)
SURVWEB_COND_TRANSFER	TABLE COMMENTS: This entity captures information about the condition and if it was transfer in from another state or country for management for Hepatitis B		
SURVWEB_COND_TRANSFER	SURVWEB_COND_TRANSFER_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_TRANSFER.
SURVWEB_COND_TRANSFER	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_TRANSFER	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_TRANSFER	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_TRANSFER	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_TRANSFER	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_TRANSFER	TRANSFERRED		Was the condition transferred IN or OUT of Missouri for management.
SURVWEB_COND_TRANSFER	FROM_TO		Where was the condition transferred TO or FROM?
SURVWEB_COND_TRANSFER	COUNTRY		If transferred TO or FROM out of state, what country?

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_TREATMENT	TABLE COMMENTS: This entity contains information that pertains to the treatment of a condition such as dosage, units, site location, dosage frequency, etc.		
SURVWEB_COND_TREATMENT	SURVWEB_COND_TREATMENT_ID	PK	System generated number to uniquely identify each instance (row) of the SURV TREATMENT table.
SURVWEB_COND_TREATMENT	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_TREATMENT	TREATMENT_FACILITY_ID	FK	The ID of the facility treating the person
SURVWEB_COND_TREATMENT	CLIENT_WEIGHT		Weight of Client
SURVWEB_COND_TREATMENT	CLIENT_WEIGHT_UNIT		Unit for Weight (Lbs, kg)
SURVWEB_COND_TREATMENT	DOSAGE		The medical measurement of the therapy perscribed for the client.
SURVWEB_COND_TREATMENT	DOSAGE_UNIT		Unit for Dosage (mm, mg, etc)
SURVWEB_COND_TREATMENT	DRUG_NAME		Name of Drug used for treatment
SURVWEB_COND_TREATMENT	DRUG_OTHER		Name of Drug used for treatment if not in lookup values
SURVWEB_COND_TREATMENT	DURATION		The number of days/weeks/months/etc the treatment was taken by the party.
SURVWEB_COND_TREATMENT	DURATION_UNIT		Unit for Duration (days, weeks, months)
SURVWEB_COND_TREATMENT	END_DATE		Date drug was stopped.
SURVWEB_COND_TREATMENT	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_TREATMENT	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_TREATMENT	FREQUENCY		Frequency for Dosage, (daily, etc.)
SURVWEB_COND_TREATMENT	HISTORICAL		Is this treatment record a historical record
SURVWEB_COND_TREATMENT	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_TREATMENT	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_TREATMENT	NUMBER_DOSES_ADMINISTERED		Number of doses person completed.
SURVWEB_COND_TREATMENT	PREV_LOCATION_CITY		Previous Location City
SURVWEB_COND_TREATMENT	PREV_LOCATION_ST		Previous Location State
SURVWEB_COND_TREATMENT	PREV_TREATMENT		Previous Treatment

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_TREATMENT	PROJECTED_END_DATE		Projected End Date (Start Date and Duration used to determine)
SURVWEB_COND_TREATMENT	ROUTE		How the drug was given
SURVWEB_COND_TREATMENT	ROUTE_OTHER		How the drug was given if not in lookup values
SURVWEB_COND_TREATMENT	START_DATE		Date drug was started.
SURVWEB_COND_TREATMENT	TREATMENT_SITE		Site (on Body) for treatment.
SURVWEB_COND_TREATMENT	TREATMENT_FAC_PHYSICIAN_ID		Survweb_party_id for the physician associated to the Treatment Facility
SURVWEB_COND_TREATMENT_STATUS	TABLE COMMENTS: This entity captures the status of the Treatment.		
SURVWEB_COND_TREATMENT_STATUS	SURVWEB_COND_TREAT_STATUS_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_TREAT_STATUS.
SURVWEB_COND_TREATMENT_STATUS	SURVWEB_CONDITION_ID	FK	Identifies condition the record is associated to.
SURVWEB_COND_TREATMENT_STATUS	DOT_LOCATION		Location of Directly Observed Therapy
SURVWEB_COND_TREATMENT_STATUS	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_TREATMENT_STATUS	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_TREATMENT_STATUS	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_TREATMENT_STATUS	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_TREATMENT_STATUS	NUMBER_WEEKS_DOT		Number of Weeks on Directly Observed Therapy
SURVWEB_COND_TREATMENT_STATUS	OTHER_TREATMENT_STATUS		Treatment Status if not in lookup values.
SURVWEB_COND_TREATMENT_STATUS	STATUS_DATE		Date of Status
SURVWEB_COND_TREATMENT_STATUS	TREATMENT_STATUS		Treatment Status
SURVWEB_COND_TREATMENT_STATUS	REASON		Reason for Treatment Status
SURVWEB_COND_TREATMENT_STATUS	OTHER_REASON		If reason is other, specific reason
SURVWEB_COND_TREATMENT_STATUS	TYPE_OF_THERAPY		Type of Therapy
SURVWEB_COND_TREATMENT_STATUS	LOCATION		Capture LOCATION (INSTATE, OUT OF STATE, OUT OF COUNTRY)when REASON is "CLIENT MOVED (FOLLOW UP UNKNOWN).
SURVWEB_COND_TREATMENT_STATUS	CITY		If Location is populated, capture CITY (INSTATE and OUT OF STATE only)
SURVWEB_COND_TREATMENT_STATUS	COUNTY		If Location is populated, capture COUNTY (INSTATE and OUT OF STATE only)

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_TREATMENT_STATUS	STATE		If Location is populated, capture STATE (INSTATE - auto sets to MO and OUT OF STATE only)
SURVWEB_COND_TREATMENT_STATUS	COUNTRY		If Location is OUT OF COUNTRY, select country.
SURVWEB_COND_TREATMENT_STATUS	TRANSNATIONAL_REFERRAL		Capture TRANSNATIONAL_REFERRAL when LOCATION is OUT OF COUNTRY.
SURVWEB_COND_TREATMENT_STATUS	CAUSE_OF_DEATH		Capture CAUSE OF DEATH when reason is DEATH
SURVWEB_COND_VACCINATION_TYPE	TABLE COMMENTS: This entity captures the vaccination status (Varicella conditions only)		
SURVWEB_COND_VACCINATION_TYPE	SURVWEB_COND_VACCIN_TYPE_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_VACCIN_TYPE.
SURVWEB_COND_VACCINATION_TYPE	SURVWEB_CONDITION_ID	FK	Identifies condition record is associated to
SURVWEB_COND_VACCINATION_TYPE	DATA_SOURCE		Source of Vaccination Record
SURVWEB_COND_VACCINATION_TYPE	DATE_VACCINATED		Date of Vaccination
SURVWEB_COND_VACCINATION_TYPE	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_VACCINATION_TYPE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_VACCINATION_TYPE	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_COND_VACCINATION_TYPE	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_VACCINATION_TYPE	VACCINATION_TYPE		Type of Vaccination
SURVWEB_COND_WATER_EXPOSURE	TABLE COMMENTS: This entity defines information about the exposure to WATER (Home Supply and Recreational) and SEWAGE.		
SURVWEB_COND_WATER_EXPOSURE	SURVWEB_COND_WATER_EXP_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_WATER_EXPOSURE.
SURVWEB_COND_WATER_EXPOSURE	SURVWEB_CONDITION_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_COND_WATER_EXPOSURE	CITY		Captures the city where exposure occurred.
SURVWEB_COND_WATER_EXPOSURE	COUNTRY		Captures the country where exposure occurred.

WEBSURV PROD tables and columns
Condition MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_COND_WATER_EXPOSURE	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_WATER_EXPOSURE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_COND_WATER_EXPOSURE	EXPOSURE		WATER Exposure . Example: Home Sewage System, Home Water Supply, Recreational, etc.
SURVWEB_COND_WATER_EXPOSURE	EXPOSURE_DATE		Captures DATE OF EXPOSURE.
SURVWEB_COND_WATER_EXPOSURE	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_COND_WATER_EXPOSURE	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_COND_WATER_EXPOSURE	LOCATION		Captures the location of exposure, instate, outstate, outcountry
SURVWEB_COND_WATER_EXPOSURE	OTHER_TYPE		Adds more definition to the Exposure when type is other.
SURVWEB_COND_WATER_EXPOSURE	STATE		Captures the state where exposure occurred.
SURVWEB_COND_WATER_EXPOSURE	SYSTEM		If WATER Exposure is Home Sewage System or Home Water Supply, this captures the system type such as Private, Community, etc.
SURVWEB_COND_WATER_EXPOSURE	TYPE		Adds more definition to the Exposure, Drain Field, Well, Swimming Pool, etc.