

WEBSURV PROD tables and columns
Field Record MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
This tables are in PROD and DWPROD. The data entered is stored in PROD and nightly copied to the tables in DWPROD. These tables are related to FIELD RECORDS.			
SURVWEB_FIELD_RECORD	TABLE COMMENTS: This entity defines each case in the database.		
SURVWEB_FIELD_RECORD	SURVWEB_FIELD_RECORD_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_CASE.
SURVWEB_FIELD_RECORD	SURVWEB_PARTY_ID	FK	Identifies the party for this record.
SURVWEB_FIELD_RECORD	FIELD_RECORD_LOCATOR_ID		Unique id for the locator associated to the case.
SURVWEB_FIELD_RECORD	DESCRIPTION		Description of the person, height, weight, complexion, etc.
SURVWEB_FIELD_RECORD	EMPLOYMENT_INFORMATION		Employment Information, Place of work, Work Phone Number, Work Address, etc
SURVWEB_FIELD_RECORD	OTHER_INFORMATION		Other identifying or locating information on the person
SURVWEB_FIELD_RECORD	INTERVIEW_ONLY_FR		Indicates that the FR is an INTERVIEW ONLY
SURVWEB_FIELD_RECORD	INITIATING_AGENCY		Agency that initiated the field record
SURVWEB_FIELD_RECORD	INVESTIGATING_AGENCY		Agency that is investigating the field record
SURVWEB_FIELD_RECORD	FIELD_RECORD_TYPE		Type of Field Record, FR OP, FR PARTER, FR_COND_ONLY - USED IN THE CONVERSION OF STDMIS records.
SURVWEB_FIELD_RECORD	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_FIELD_RECORD	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_FIELD_RECORD	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_FIELD_RECORD	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_FR_CONDITION	TABLE COMMENTS: This entity includes dates associated with case (RECEIVED, REPORT, ENROLLED, etc.)		
SURVWEB_FR_CONDITION	SURVWEB_FR_CONDITION_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_CASE_DATE
SURVWEB_FR_CONDITION	SURVWEB_FIELD_RECORD_ID	FK	Identifies the CASE dates are associated with.
SURVWEB_FR_CONDITION			
SURVWEB_FR_CONDITION			

WEBSURV PROD tables and columns
Field Record MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_FR_CONDITION	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_FR_CONDITION	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_FR_CONDITION	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_FR_CONDITION	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_FR_HIV_INFORMATION	TABLE COMMENTS: This entity includes dates associated with case (RECEIVED, REPORT, ENROLLED, etc.)		
SURVWEB_FR_HIV_INFORMATION	SURVWEB_FR_HIV_INFORMATION_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_CASE_DATE
SURVWEB_FR_HIV_INFORMATION	SURVWEB_FIELD_RECORD_ID	FK	Identifies the CASE dates are associated with.
SURVWEB_FR_HIV_INFORMATION			
SURVWEB_FR_HIV_INFORMATION			
SURVWEB_FR_HIV_INFORMATION	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_FR_HIV_INFORMATION	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_FR_HIV_INFORMATION	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_FR_HIV_INFORMATION	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_FR_JURISDICTION	TABLE COMMENTS: This entity captures jurisdiction records for the case.		
SURVWEB_FR_JURISDICTION	SURVWEB_FR_JURISDICTION_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_CASE_JURISDICTION.
SURVWEB_FR_JURISDICTION	SURVWEB_FIELD_RECORD_ID	FK	Identifier of condition record associated with
SURVWEB_FR_JURISDICTION	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.

WEBSURV PROD tables and columns
Field Record MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_FR_JURISDICTION			
SURVWEB_FR_JURISDICTION	JURISDICTION		Jurisdiction (county or city)
SURVWEB_FR_JURISDICTION	JURISDICTION_TYPE		Type of jurisdiction (case, provider, etc.)
	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_FR_JURISDICTION			
SURVWEB_FR_JURISDICTION	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_FR_JURISDICTION	SURVWEB_REF_JURISDICTION_ID		Reference id for the jurisdiction
SURVWEB_FR_NOTE	TABLE COMMENTS: This entity contains free-text entries of comments or notes related to the case. Note type indicates the screen it was entered on, i.e. RESOLUTION, TESTS, etc.		
	SURVWEB_FR_NOTE_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_CASE_NOTE.
SURVWEB_FR_NOTE			
SURVWEB_FR_NOTE	SURVWEB_FIELD_RECORD_ID	FK	Identifies condition the record is associated with
	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_FR_NOTE			
SURVWEB_FR_NOTE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_FR_NOTE	NOTE_TEXT		Text of the note
SURVWEB_FR_NOTE	NOTE_TYPE		Type of note, i.e. symptom, diagnostic, background, etc.
SURVWEB_FR_QA	TABLE COMMENTS: This entity captures the status of the QUALITY ASSURANCE review.		
	SURVWEB_FR_QA_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_CASE_QA.
SURVWEB_FR_QA			
SURVWEB_FR_QA	SURVWEB_FIELD_RECORD_ID	FK	Identifies condition record is associated to
	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_FR_QA			
	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_FR_QA			

WEBSURV PROD tables and columns
Field Record MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_FR_QA	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_FR_QA	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_FR_QA	QA_COMPLETE		Has QA been completed?
SURVWEB_FR_TEST	TABLE COMMENTS: This entity captures information about the laboratory as well as the test type and result.		
SURVWEB_FR_TEST	SURVWEB_FR_TEST_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_COND_TESTS.
SURVWEB_FR_TEST	SURVWEB_FIELD_RECORD_ID	FK	The unique identifier (primary key) of the SURVWEB_CONDITION to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_FR_TEST	LABORATORY_ID		Survweb_Party_id of the Laboratory associated to the test.
SURVWEB_FR_TEST	TEST_TYPE_OTHER		Test type if not in lookup values.
SURVWEB_FR_TEST	QUALITATIVE_RESULT		Qualitative Result (Positive, Negative, etc)
SURVWEB_FR_TEST	QUALITATIVE_RESULT_OTHER		Qualitative Result if not in lookup value
SURVWEB_FR_TEST	QUANTITATIVE_RESULT		Numeric result
SURVWEB_FR_TEST	QUANTITATIVE_RESULT_UNIT		Unit for numeric result
SURVWEB_FR_TEST	REFERENCE_RANGE		Reference range for the quantitative result
SURVWEB_FR_TEST	RESULT_DATE		Identifies the date of the outcome result.
SURVWEB_FR_TEST	SPECIMEN_DATE		Identifies the date the specimen was obtained from the client.
SURVWEB_FR_TEST	TEST_TYPE		Type of diagnostic procedure/test. Example: RPR, VDRL, MHA-TP, etc.
SURVWEB_FR_TEST	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_FR_TEST	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_FR_TEST	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_FR_TEST	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).

WEBSURV PROD tables and columns
Field Record MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_FR_TREATMENT	TABLE COMMENTS: This entity captures information about the case and if it was transfer in from another state or country for management for Hepatitis B		
SURVWEB_FR_TREATMENT	SURVWEB_FR_TREATMENT_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_CASE_TRANSFER.
SURVWEB_FR_TREATMENT	SURVWEB_FIELD_RECORD_ID	FK	The unique identifier (primary key) of the SURVWEB_CASE to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_FR_TREATMENT	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_FR_TREATMENT	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_FR_TREATMENT	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_FR_TREATMENT	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_FR_TREATMENT	TRANSFERRED		Was the condition transferred IN or OUT of Missouri for management.
SURVWEB_FR_TREATMENT	FROM_TO		Where was the condition transferred TO or FROM?
SURVWEB_FR_TREATMENT	COUNTRY		If transferred TO or FROM out of state, what country?
SURVWEB_FR_WORKER	TABLE COMMENTS: This entity captures information about the case and if it was transfer in from another state or country for management for Hepatitis B		
SURVWEB_FR_WORKER	SURVWEB_FR_WORKER_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_CASE_TRANSFER.
SURVWEB_FR_WORKER	SURVWEB_FIELD_RECORD_ID	FK	The unique identifier (primary key) of the SURVWEB_CASE to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_FR_WORKER	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.

WEBSURV PROD tables and columns
Field Record MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_FR_WORKER	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_FR_WORKER	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_FR_WORKER	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).