

WEBSURV PROD tables and columns
 Party MViews
 SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
This tables are in PROD and DWPROD. The data entered is stored in PROD and nightly copied to the tables in DWPROD. These tables are related to the PARTY, both person and organization.			
SURVWEB_PARTY	TABLE COMMENTS: Super-type of all PARTY types. This includes PERSONS AND ORGANIZATIONS, associated with SURVEILLANCE.		
SURVWEB_PARTY	SURVWEB_PARTY_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_PARTY.
SURVWEB_PARTY	COMPLETED_DUP_PROCESS		Y/N flag to indicate if the person record has been through the duplication validation process.
SURVWEB_PARTY	DATA_SOURCE		If this party is due to conversion, the source of the data.
SURVWEB_PARTY	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_PARTY	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY	PARTY_TYPE		Indicates if party is a person or an organization
SURVWEB_PARTY	STATUS (defaults to ACTIVE)		Person client has a status to indicate if client record was active, inactive, sealed or client was deceased. Stored here because we may need to know status on all parties.
SURVWEB_PARTY_ALLERGIES	TABLE COMMENTS: This entity lists the ALLERGIES a person has.		
SURVWEB_PARTY_ALLERGIES	SURVWEB_PARTY_ALLERGIES_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_PARTY_ALLERGIES
SURVWEB_PARTY_ALLERGIES	SURVWEB_PARTY_ID	FK	The unique identifier (primary key) of the SURV_PARTY to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_PARTY_ALLERGIES	ALLERGEN		Allergen such as pollen
SURVWEB_PARTY_ALLERGIES	ALLERGY_TYPE		Allergy type: environmental, foods, etc.

WEBSURV PROD tables and columns
 Party MViews
 SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_ALLERGIES	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_ALLERGIES	ENTRY_USERID		USERID of person that initially instantiates and instance of this entity. WHO entered the record.
SURVWEB_PARTY_ALLERGIES	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_ALLERGIES	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_ALLERGIES	REACTION		Reaction to allergen
SURVWEB_PARTY_ALLERGIES	REACTION_DATE		DATE REACTION OCCURRED.
SURVWEB_PARTY_ASSOC_PARTIES	TABLE COMMENTS: This entity lists the ALLERGIES a person has.		
SURVWEB_PARTY_ASSOC_PARTIES	SURVWEB_PARTY_ASSOC_PARTIES_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_PARTY_ASSOC_PARTIES
SURVWEB_PARTY_ASSOC_PARTIES	SURVWEB_PARTY_ID	FK	The unique identifier (primary key) of the SURV_PARTY to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_PARTY_ASSOC_PARTIES	ASSOCIATED_PARTY_ID		Identifies the party being associated to the party
SURVWEB_PARTY_ASSOC_PARTIES	BEGIN_DATE		Begin Date for the association.
SURVWEB_PARTY_ASSOC_PARTIES	END_DATE		End Date for the association
SURVWEB_PARTY_ASSOC_PARTIES	TYPE		Type of association, based on grid CROSS REFERENCE, RELATED, MEDICAL PERSONNEL
SURVWEB_PARTY_ASSOC_PARTIES	STATUS		Status of the association Active or Inactive
SURVWEB_PARTY_ASSOC_PARTIES	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_ASSOC_PARTIES	ENTRY_USERID		USERID of person that initially instantiates and instance of this entity. WHO entered the record.
SURVWEB_PARTY_ASSOC_PARTIES	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_ASSOC_PARTIES	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).

WEBSURV PROD tables and columns
 Party MViews
 SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_BLOOD_TISSUE	TABLE COMMENTS: This entity lists blood or tissue received or donated by the person.		
SURVWEB_PARTY_BLOOD_TISSUE	SURVWEB_PARTY_BLOOD_TISSUE_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_PARTY_BLOOD_TISSUE.
SURVWEB_PARTY_BLOOD_TISSUE	FACILITY_PARTY_ID	FK	Facility taking the donation
SURVWEB_PARTY_BLOOD_TISSUE	RECEIVING_ORG_PARTY_ID	FK	Organization receiving the donation
SURVWEB_PARTY_BLOOD_TISSUE	SURVWEB_PARTY_ID	FK	Identifies the party the record is associated to.
SURVWEB_PARTY_BLOOD_TISSUE	BLOOD_TISSUE_ANATOMIC_CODE		Code for Anatomic Name
SURVWEB_PARTY_BLOOD_TISSUE	BLOOD_TISSUE_ANATOMIC_TEXT		Anatomic Name
SURVWEB_PARTY_BLOOD_TISSUE	DATE_DONATED_RECEIVED		Date of donation or receipt
SURVWEB_PARTY_BLOOD_TISSUE	DONATED_OR_RECEIVED_IND		Is the record DONATED or RECEIVED
SURVWEB_PARTY_BLOOD_TISSUE	DONATING_SITE		Facility of donation
SURVWEB_PARTY_BLOOD_TISSUE	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_BLOOD_TISSUE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_BLOOD_TISSUE	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_PARTY_BLOOD_TISSUE	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_CONTACT	TABLE COMMENTS: This entity captures contacts (persons that can be used to help locate or contact the person).		
SURVWEB_PARTY_CONTACT	SURVWEB_PARTY_CONTACT_ID	PK	System generated number to uniquely identify each instance (row) of the SURV PARYT RELATIONSHIP.
SURVWEB_PARTY_CONTACT	SURVWEB_PARTY_ID	FK	Identifies the party the record is associated to.
SURVWEB_PARTY_CONTACT	CONV_TEMP_ID		Temporary ID used in converting contacts.
SURVWEB_PARTY_CONTACT	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_CONTACT	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_CONTACT	FIRST_NAME		First Name of the Contact

WEBSURV PROD tables and columns
Party MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_CONTACT	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_CONTACT	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_CONTACT	LAST_NAME		Last Name of the Contact
SURVWEB_PARTY_CONTACT	NOTE_TEXT		Note for the contact
SURVWEB_PARTY_CONTACT	RELATIONSHIP		Relationship between the party and the contact
SURVWEB_PARTY_CONTACT	TELEPHONE		Telephone for the contact
SURVWEB_PARTY_DEGREE	TABLE COMMENTS: This entity lists the DEGREES a person has. MPH, PhD, EdD, BS, MS, RN, etc.		
SURVWEB_PARTY_DEGREE	SURV_PARTY_DEGREE_ID	PK	System generated number to uniquely identify each instance (row) of the SURV PARTY DEGREE.
SURVWEB_PARTY_DEGREE	SURV_PARTY_ID	FK	The unique identifier (primary key) of the SURV_PARTY to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_PARTY_DEGREE	DEGREE		Degree, e.g. BA, BS, MPH, PhD, MD, DrPH, MBA, DVM
SURVWEB_PARTY_DEGREE	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_DEGREE	ENTRY_USERID		USERID of person that initially instantiates and instance of this entity. WHO entered the record.
SURVWEB_PARTY_DEGREE	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_DEGREE	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_FACTOR	TABLE COMMENTS: This entity lists the MEDICAL and SOCIAL FACTORS related to the PERSON (not the specific condition risk factors)		
SURVWEB_PARTY_FACTOR	SURVWEB_PARTY_FACTOR_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_PARTY_FACTOR.
SURVWEB_PARTY_FACTOR	BUSINESS_PARTY_ID	FK	Party ID for Business (if employment)
SURVWEB_PARTY_FACTOR	SURVWEB_PARTY_ID	FK	Identifies the party the record is associated to.

WEBSURV PROD tables and columns
 Party MViews
 SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_FACTOR	BUSINESS_LOCATOR_ID		Locator for Party ID for Business (if employment)
SURVWEB_PARTY_FACTOR	END_DATE		Date factor ended
SURVWEB_PARTY_FACTOR	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_FACTOR	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_FACTOR	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_PARTY_FACTOR	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_FACTOR	OCCUPATION		Occupation of Person or Household Member
SURVWEB_PARTY_FACTOR	OCCUPATION_OTHER		Occupation if not in lookup values.
SURVWEB_PARTY_FACTOR	PERSON		Person or Household Member
SURVWEB_PARTY_FACTOR	START_DATE		Date factor began
SURVWEB_PARTY_FACTOR	TYPE		Factor
SURVWEB_PARTY_FACTOR	TYPE_OTHER		Factor if not in lookup values
SURVWEB_PARTY_HOSPITALIZATION	TABLE COMMENTS: This entity captures hospitalizations.		
SURVWEB_PARTY_HOSPITALIZATION	SURVWEB_PARTY_HOSPITALIZATION_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_PARTY_HOSP.
SURVWEB_PARTY_HOSPITALIZATION	HOSPITAL_PARTY_ID	FK	Party ID of Hospital
SURVWEB_PARTY_HOSPITALIZATION	SURVWEB_PARTY_ID	FK	Identifies the party the record is associated to.
SURVWEB_PARTY_HOSPITALIZATION	ADMISSION_DATE		Date of Admission to Hospital
SURVWEB_PARTY_HOSPITALIZATION	DISCHARGE_DATE		Date of Discharge from Hospital
SURVWEB_PARTY_HOSPITALIZATION	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_HOSPITALIZATION	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_HOSPITALIZATION	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_PARTY_HOSPITALIZATION	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).

WEBSURV PROD tables and columns
 Party MViews
 SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_HOSPITALIZATION	MEDICAL_RECORD_NUMBER		Medical Record Number
SURVWEB_PARTY_IDENTIFIER	TABLE COMMENTS: This entity contains specific information that can be used to identify a party - such as SSN State Patient Number, DCN and MOHSAIC ID		
SURVWEB_PARTY_IDENTIFIER	SURVWEB_PARTY_IDENTIFIER_ID	PK	System generated number to uniquely identify each instance (row) of the SURV PARTY IDENTIFIER.
SURVWEB_PARTY_IDENTIFIER	SURVWEB_PARTY_ID	FK	The unique identifier (primary key) of the SURV_PARTY to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_PARTY_IDENTIFIER	BEGIN_DATE (defaults sysdate)		The date the identifier first became valid for party
SURVWEB_PARTY_IDENTIFIER	END_DATE		The date the identifier is no longer valid for party
SURVWEB_PARTY_IDENTIFIER	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_IDENTIFIER	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_IDENTIFIER	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_IDENTIFIER	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_IDENTIFIER	PARTY_IDENTIFIER		Identification number
SURVWEB_PARTY_IDENTIFIER	PARTY_IDENTIFIER_TYPE		Type of Identifier (SSN, DCN, Student ID, etc)
SURVWEB_PARTY_LOCATOR	TABLE COMMENTS: This table helps locate a party by specifying type of location, class of location, and whether the location is the primary location or if the location is sensitive.		
SURVWEB_PARTY_LOCATOR	SURVWEB_PARTY_LOCATOR_ID	PK	Unique key that identifies this instance of Party_Locator. Oracle database sequence generated unique identifier. Primary Key.
SURVWEB_PARTY_LOCATOR	SURVWEB_PARTY_ID	FK	This ID associates a Party with this Party_Locator. Foreign Key.
SURVWEB_PARTY_LOCATOR	LOCATOR_ID	FK	This ID associates a Locator (in the LOCATION schema) with this Party_Locator. Foreign Key.
SURVWEB_PARTY_LOCATOR	BEGIN_DATE		The begin date for this PARTYLOCATOR.
SURVWEB_PARTY_LOCATOR	END_DATE		The end date for this PARTY ROLE LOCATOR.
SURVWEB_PARTY_LOCATOR	ENTRY_DATETIME		Date/time information was originally entered into system. System triggered entry.

WEBSURV PROD tables and columns
Party MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_LOCATOR	ENTRY_USERID		Login ID of User that originally entered the information into the system. System triggered entry.
SURVWEB_PARTY_LOCATOR	LAST_CHANGED_DATETIME		Date/time information was last changed. System triggered entry when information changed.
SURVWEB_PARTY_LOCATOR	LAST_CHANGED_USERID		Logon Id of user that made the last change to the information. System triggered entry when information changed.
SURVWEB_PARTY_LOCATOR	LOCATOR_CLASS_TYPE		Specifies the class type of locator associated with this party locator. Class types are home, work, mailing, or physical..
SURVWEB_PARTY_LOCATOR	LOCATOR_TYPE		This is used to identify what type of Locator this is. Types are postal, telephone, physical, electronic, and legacy.
SURVWEB_PARTY_LOCATOR	PRIMARY_INDICATOR (defaults 'N')		Y = yes this locator is considered the primary one for contact. For a postal address, this would mean that this is the mailing address. For electronic or telephone, it would indicate the designated address for e-mail or phone calls. There will be only one primary locator of each locator type. Null or N = not primary locator.
SURVWEB_PARTY_LOCATOR	ROUTING_INFO		This is any other type of information the business person considers necessary to record in order to locate a Party.
SURVWEB_PARTY_LOCATOR	SENSITIVE_INDICATOR (defaults 'N')		Y = yes the locator is sensitive and should not be given out to the public. N = not sensitive.
SURVWEB_PARTY_MEDICATION	TABLE COMMENTS: This entity captures medications for the person (not related to a specific condition). For example, if a person takes arthritis medicine.		
SURVWEB_PARTY_MEDICATION	SURVWEB_PARTY_MEDICATION_REC_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_PARTY_MEDICATION.
SURVWEB_PARTY_MEDICATION	SURVWEB_PARTY_ID	FK	Identifies the party the record is associated to.
SURVWEB_PARTY_MEDICATION	END_DATE		Date Medication Ended
SURVWEB_PARTY_MEDICATION	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.

WEBSURV PROD tables and columns
 Party MViews
 SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_MEDICATION	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_MEDICATION	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_PARTY_MEDICATION	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_MEDICATION	MEDICATION		Drug Name
SURVWEB_PARTY_MEDICATION	OTHER_MEDICATION		Drug Name if not in lookup values.
SURVWEB_PARTY_MEDICATION	START_DATE		Date Medication Started
SURVWEB_PARTY_NAME	TABLE COMMENTS: This entity contains information about another name that a person may have used(ALIAS)(i.e. maiden name, someone who gave a fictitious name, multiple middle or last names, etc.). The type attribute will denote a changed name versus additional middle or last names.		
SURVWEB_PARTY_NAME	SURVWEB_PARTY_NAME_ID	PK	System generated number to uniquely identify each instance (row) of the SURV PARTY NAME.
SURVWEB_PARTY_NAME	SURVWEB_PARTY_ID	FK	The unique identifier (primary key) of the SURVWEB_PARTY to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_PARTY_NAME	BEGIN_DATE		The date that the current name became valid.
SURVWEB_PARTY_NAME	END_DATE		The date that the current name is no longer valid.
SURVWEB_PARTY_NAME	ENTRY_DATETIME (defaults sysdate)		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_NAME	ENTRY_USERID		USERID of person that initially instantiates and instance of this entity. WHO entered the record.
SURVWEB_PARTY_NAME	FIRST_NAME		Person First Name
SURVWEB_PARTY_NAME	FIRST_NAME_SOUNDEX		Soundex of first name
SURVWEB_PARTY_NAME	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_NAME	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).

WEBSURV PROD tables and columns
Party MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_NAME	LAST_NAME1		Last name, surname, family name, first part of hyphenated name (including hyphen) or multi-part (e.g. Von, de, las, etc.) names.
SURVWEB_PARTY_NAME	LAST_NAME2		NOT USED IN WEBSURV. Last name, surname, family name, second part of hyphenated name or multi-part names.
SURVWEB_PARTY_NAME	MIDDLE_NAME1		Middle Name or Initial
SURVWEB_PARTY_NAME	MIDDLE_NAME2		NOT USED IN WEBSURV. Second Middle Name
SURVWEB_PARTY_NAME	NAME_PREFIX		Prefix, e.g. Dr., Mr., Mrs., Ms.
SURVWEB_PARTY_NAME	NAME_SUFFIX		Suffix, e.g. Jr., III, Sr.
SURVWEB_PARTY_NAME	NAME_TYPE		Identifies the type of name an instance of PERSON ALIAS represents. This entity will store changed names as well as additional middle and last names. Examples: AKA, Additional Name (as in the case of multiple middle names), etc.
SURVWEB_PARTY_NAME	ORGANIZATION_NAME		Contains the name of the party organization if the party has been identified as an organization.
SURVWEB_PARTY_NAME	SOUNDEX		Soundex of last name
SURVWEB_PARTY_NOTE	TABLE COMMENTS: This entity contains NARRATIVE information used to clarify, explain, or detail PERSON.		
SURVWEB_PARTY_NOTE	SURVWEB_PARTY_NOTE_ID	PK	System generated number to uniquely identify each instance (row) of the SURV PARTY NARRATIVE.
SURVWEB_PARTY_NOTE	SURVWEB_PARTY_ID	FK	The unique identifier (primary key) of the SURV_PARTY to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_PARTY_NOTE	ENTRY_DATETIME		This is a system assigned date and time stamp of when the data was entered into the system.
SURVWEB_PARTY_NOTE	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_NOTE	NARRATIVE_TEXT		This is the area where information about a PERSON can be entered in narrative style.
SURVWEB_PARTY_NOTE	NOTE_TYPE		Identifies the type of party note (general notes, travel, weight, etc..)

WEBSURV PROD tables and columns
 Party MViews
 SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_OCCUPATION	TABLE COMMENTS: This table is not used by the application.		
SURVWEB_PARTY_OCCUPATION	to be dropped Fall 2012.		
SURVWEB_PARTY_ORGANIZATION	TABLE COMMENTS: This entity contains information about a surveillance ORGANIZATION. An ORGANIZATION is a general term for any Surveillance GROUPING. ORGANIZATIONS include: Businesses, Hospitals, Nursing Homes, Outbreak Groups, Households, Screening Projects, etc.		
SURVWEB_PARTY_ORGANIZATION	SURVWEB_PARTY_ORGANIZATION_ID	PK	System generated number to uniquely identify each instance (row) of the SURV PARTY ORGANIZATION.
SURVWEB_PARTY_ORGANIZATION	SURVWEB_PARTY_ID	FK	Identifies the party the record is associated to.
SURVWEB_PARTY_ORGANIZATION	DECSCRIPTION		Description of the organization
SURVWEB_PARTY_ORGANIZATION	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_ORGANIZATION	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_ORGANIZATION	LAST_CHANGED_DATETIME		Specifies date/time record was last changed into system.
SURVWEB_PARTY_ORGANIZATION	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_ORGANIZATION	ORGANIZATION_TYPE		Type of the organization such as hospital, laboratory, commercial enterprise, etc).
SURVWEB_PARTY_PERSON	TABLE COMMENTS: This entity contains person identified information such as date of birth, race, etc.		
SURVWEB_PARTY_PERSON	SURV_PARTY_PERSON_ID	PK	System generated number to uniquely identify each instance (row) of the SURV PARTY PERSON.
SURVWEB_PARTY_PERSON	SURV_PARTY_ID	FK and U	The unique identifier (primary key) of the SURVWEB_PARTY also used as the primary key of current table to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_PARTY_PERSON	ARRIVED_USA_DATE		This attribute contains the date this PERSON (alien, etc) arrived in the United States.
SURVWEB_PARTY_PERSON	ASIAN (default to null)		Is this person from Asia or parent(s) were? Yes (Y) or No (N).

WEBSURV PROD tables and columns
Party MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_PERSON	ASIAN_EXP		Contains the specific type of Asian racial group associated with the party.
SURVWEB_PARTY_PERSON	BLACK (default to null)		Is this person black or partially black? Yes (Y) or No (N).
SURVWEB_PARTY_PERSON	COUNTRY_OF_ORIGIN		Country of origin or country of birth
SURVWEB_PARTY_PERSON	DATE_OF_BIRTH		This attribute contains the date the PERSON was born.
SURVWEB_PARTY_PERSON	DATE_OF_DEATH		This attribute contains the date the PERSON died.
SURVWEB_PARTY_PERSON	DEATH_VERIFICATION_FLAG		Flag for verification of death
SURVWEB_PARTY_PERSON	ENTRY_DATETIME		This is a system generated date and time stamped that shows the date and time the data was entered and the date the PERSON entity was created.
SURVWEB_PARTY_PERSON	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_PERSON	ETHNICITY		This is the culture or country that the PERSON is from.
SURVWEB_PARTY_PERSON	ETHNICITY_EXP		Contains the specific type of Hispanic/Latino Ethnicity associated with the party
SURVWEB_PARTY_PERSON	GRADE_LEVEL		This is the level of education attained or what grade the PERSON was in when his education ended.
SURVWEB_PARTY_PERSON	INDIAN (default to null)		Is this person American Indian or Alaskan Native or partially so? Yes (Y) or No (N).
SURVWEB_PARTY_PERSON	INDIAN_EXP		Contains the specific type of Native American or Alaskan tribe associated with the party.
SURVWEB_PARTY_PERSON	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_PERSON	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_PERSON	MARITAL_STATUS		This is the marital status of a PERSON(i.e. married, divorced, widowed, etc.).
SURVWEB_PARTY_PERSON	PACIFIC (default to null)		Is this person from a Pacific Island or of Pacific Island Decent? Yes (Y) or No (N).
SURVWEB_PARTY_PERSON	PACIFIC_EXP		Contains the specific type of Pacific Islander or Native Hawaiian racial group associated with the party

WEBSURV PROD tables and columns
 Party MViews
 SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_PERSON	SEX		Current Gender of the person listed in the record
SURVWEB_PARTY_PERSON	UNKNOWN RACE		Is this person of unknown race? Yes (Y) or No (N).
SURVWEB_PARTY_PERSON	VITAL_STATUS		This attribute will contain the status of the PERSON. If they are living or dead.
SURVWEB_PARTY_PERSON	WHITE (default to null)		Is this person white or partially white? Yes (Y) or No (N).
SURVWEB_PARTY_PERSON	BIRTHTIME		What time was the person born.
SURVWEB_PARTY_PERSON	PLURALITY		What is the plurality of this birth, 1 - single, 2 - twins, 3 - triplets, etc.
SURVWEB_PARTY_PERSON	BIRTH_ORDER		What is the order of this birth, 1st, 2nd, Third, etc.
SURVWEB_PARTY_PERSON	PRIMARY_LANGUAGE		What is the primary language of the person?
SURVWEB_PARTY_PERSON	PRIMARY_LANGUAGE_OTHER		If primary language is OTHER, specify.
SURVWEB_PARTY_PERSON	READS_PRIMARY		Can the person read the primary language?
SURVWEB_PARTY_PERSON	WRITES_PRIMARY		Can the person write the primary language?
SURVWEB_PARTY_PERSON	SECONDARY_LANGUAGE		What is the secondary language of the person?
SURVWEB_PARTY_PERSON	SECONDARY_LANGUAGE_OTHER		If secondary language is OTHER, specify.
SURVWEB_PARTY_PERSON	SEX_AT_BIRTH		Sex at Birth for the person
SURVWEB_PARTY_PERSON	OTHER_RACE		Person has indicated race is Other
SURVWEB_PARTY_PERSON	REFUSED_TO_ANSWER_RACE		Person has refused to answer race question
SURVWEB_PARTY_PERSON	BIRTH_WEIGHT		Birth weight (in grams) of the person
SURVWEB_PARTY_PERSON	GESTATION_AGE		Gestational Age of the person
SURVWEB_PARTY_PERSON_HIST	TABLE COMMENTS: This entity contains historical information for a particular PERSON. This PERSON HISTORY is created whenever a change is made to the PERSON entity.		
SURVWEB_PARTY_PERSON_HIST	SURVWEB_PARTY_PERSON_HISTORY_ID	PK	This attribute contains the unique identifier assigned by the system for this PERSON.
SURVWEB_PARTY_PERSON_HIST	ARCHIVE_DATETIME		This is the date the PERSON record became inactive and the record was archived(written to history).
SURVWEB_PARTY_PERSON_HIST	ARRIVED_USA_DATE		This attribute contains the date this PERSON (alien, etc) arrived in the United States.
SURVWEB_PARTY_PERSON_HIST	ASIAN		Is this person from Asia or parent(s) were? Yes (Y) or No (N).
SURVWEB_PARTY_PERSON_HIST	ASIAN_EXP		Contains the specific type of Asian reacial group associated with the party.
SURVWEB_PARTY_PERSON_HIST	BLACK		Is this person black or partially black? Yes (Y) or No (N).
SURVWEB_PARTY_PERSON_HIST	COUNTRY_OF_ORIGIN		Country of origin or country of birth

WEBSURV PROD tables and columns
Party MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_PERSON_HIST	DATE_OF_BIRTH		This attribute contains the date the PERSON was born.
SURVWEB_PARTY_PERSON_HIST	DATE_OF_DEATH		This attribute contains the date the PERSON died.
SURVWEB_PARTY_PERSON_HIST	DEATH_VERIFICATION_FLAG		Flag for verification of death
SURVWEB_PARTY_PERSON_HIST	ENTRY_DATETIME		This is a system generated date and time stamped that shows the date and time the data was entered and the date the PERSON entity was created.
SURVWEB_PARTY_PERSON_HIST	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_PERSON_HIST	ETHNICITY		This is the culture or country that the PERSON is from.
SURVWEB_PARTY_PERSON_HIST	ETHNICITY_EXP		Contains the specific type of Hispanic/Latino Ethnicity associated with the party
SURVWEB_PARTY_PERSON_HIST	GRADE_LEVEL		This is the level of education attained or what grade the PERSON was in when his education ended.
SURVWEB_PARTY_PERSON_HIST	INDIAN		Is this person American Indian or Alaskan Native or partially so? Yes (Y) or No (N).
SURVWEB_PARTY_PERSON_HIST	INDIAN_EXP		Contains the specific type of Native American or Alaskan tribe associated with the party.
SURVWEB_PARTY_PERSON_HIST	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_PERSON_HIST	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_PERSON_HIST	MARITAL_STATUS		This is the marital status of a PERSON(i.e. married, divorced, widowed, etc.).
SURVWEB_PARTY_PERSON_HIST	PACIFIC		Is this person from a Pacific Island or of Pacific Island Decent? Yes (Y) or No (N).
SURVWEB_PARTY_PERSON_HIST	PACIFIC_EXP		Contains the specific type of Pacific Islander or Native Hawaiian racial group associated with the party
SURVWEB_PARTY_PERSON_HIST	SEX		Gender of the person listed in the record
SURVWEB_PARTY_PERSON_HIST	SURVWEB_PARTY_ID		The unique identifier (primary key) of the SURV_PARTY to reference the relationship between the parent record and the child record, is the foreign key in the child table.

WEBSURV PROD tables and columns
Party MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_PERSON_HIST	SURVWEB_PARTY_PERSON_ID		The unique identifier (primary key) of the SURV_PARTY_PERSON to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_PARTY_PERSON_HIST	UNKNOWN_RACE		Is this person of unknown race? Yes (Y) or No (N).
SURVWEB_PARTY_PERSON_HIST	VITAL_STATUS		This attribute will contain the status of the PERSON. If they are living or dead.
SURVWEB_PARTY_PERSON_HIST	WHITE		Is this person white or partially white? Yes (Y) or No (N).
SURVWEB_PARTY_PERSON_HIST	BIRTHTIME		What time was the person born.
SURVWEB_PARTY_PERSON_HIST	PLURALITY		What is the plurality of this birth, 1 - single, 2 - twins, 3 - triplets, etc.
SURVWEB_PARTY_PERSON_HIST	BIRTH_ORDER		What is the order of this birth, 1st, 2nd, Third, etc.
SURVWEB_PARTY_PERSON_HIST	PRIMARY_LANGUAGE		What is the primary language of the person?
SURVWEB_PARTY_PERSON_HIST	PRIMARY_LANGUAGE_OTHER		If primary language is OTHER, specify.
SURVWEB_PARTY_PERSON_HIST	READS_PRIMARY		Can the person read the primary language?
SURVWEB_PARTY_PERSON_HIST	WRITES_PRIMARY		Can the person write the primary language?
SURVWEB_PARTY_PERSON_HIST	SECONDARY_LANGUAGE		What is the secondary language of the person?
SURVWEB_PARTY_PERSON_HIST	SECONDARY_LANGUAGE_OTHER		If secondary language is OTHER, specify.
SURVWEB_PARTY_PERSON_HIST	SEX_AT_BIRTH		Sex at Birth for the person
SURVWEB_PARTY_PERSON_HIST	OTHER_RACE		Person has indicated race is Other
SURVWEB_PARTY_PERSON_HIST	REFUSED_TO_ANSWER_RACE		Person has refused to answer race question
SURVWEB_PARTY_PERSON_HIST	BIRTH_WEIGHT		Birth weight (in grams) of the person
SURVWEB_PARTY_PERSON_HIST	GESTATION_AGE		Gestational Age of the person
SURVWEB_PARTY_PREGNANCY	TABLE COMMENTS: This entity contains information about a PREGNANCY as it relates to a PERSON and as it relates to the infant OUTCOME. It contains such things as due date, # of weeks pregnant, pregnancy indicator(Y/N), previous pregnancies(Y/N).		
SURVWEB_PARTY_PREGNANCY	SURVWEB_PARTY_PREGNANCY_ID	PK	This is a system generated unique identifier.
SURVWEB_PARTY_PREGNANCY	SURVWEB_PARTY_ID	FK	The unique identifier (primary key) of the SURV_PARTY to reference the relationship between the parent record and the child record, is the foreign key in the child table.
SURVWEB_PARTY_PREGNANCY	DUE_DATE		This is the date the PREGNANCY should be full term. The due date is used to ascertain when the person might go into labor or the PREGNANCY would be terminated through cesarean section.

WEBSURV PROD tables and columns
Party MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_PREGNANCY	ENTRY_DATETIME		This is the date the PREGNANCY information was entered. This is also the date the PREGNANCY entity was created.
SURVWEB_PARTY_PREGNANCY	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_PREGNANCY	LAST_CHANGED_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_PREGNANCY	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_PREGNANCY	OUTCOME		Outcome of Pregnancy
SURVWEB_PARTY_PREGNANCY	OUTCOME_DATE		This is the date the PREGNANCY ended, i.e. date the child was born, date of miscarriage, etc.
SURVWEB_PARTY_PREGNANCY	SENSITIVE INDICATOR		Pregnancy is of Sensitive nature (unwed teen, etc.)
SURVWEB_PARTY_PREGNANCY_ASSOC	TABLE COMMENTS: This entity contains the party id of the baby and is linked to the pregnancy record.		
SURVWEB_PARTY_PREGNANCY_ASSOC	SURVWEB_PARTY_PREGNANCY_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_PARTY_PREG_ASSOC.
SURVWEB_PARTY_PREGNANCY_ASSOC	BABY_PARTY_ID	FK	Party ID of Baby
SURVWEB_PARTY_PREGNANCY_ASSOC	SURVWEB_PREGNANCY_ID	FK	Identifies pregnancy record that this record is associated to.
SURVWEB_PARTY_PREGNANCY_ASSOC	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_PREGNANCY_ASSOC	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_PREGNANCY_ASSOC	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_PARTY_PREGNANCY_ASSOC	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).

WEBSURV PROD tables and columns
Party MViews
SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_ROLE	TABLE COMMENTS: ROLE that a PARTY has in the SURVEILLANCE system. Examples include: PROVIDER, LABORATORY, etc.		
SURVWEB_PARTY_ROLE	See Admin_Lookup_Provider Listing		
SURVWEB_PARTY_TRAVEL	TABLE COMMENTS: This entity captures travel locations for the person.		
SURVWEB_PARTY_TRAVEL	SURVWEB_PARTY_TRAVEL_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_PARTY_TRAVEL.
SURVWEB_PARTY_TRAVEL	SURVWEB_PARTY_ID	FK	Identifies the party the record is associated to.
SURVWEB_PARTY_TRAVEL	CITY		Traveled to City
SURVWEB_PARTY_TRAVEL	COUNTRY		Traveled to Country
SURVWEB_PARTY_TRAVEL	DEPARTURE_DATE		Date of Travel Departure
SURVWEB_PARTY_TRAVEL	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_TRAVEL	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.
SURVWEB_PARTY_TRAVEL	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_PARTY_TRAVEL	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_TRAVEL	RETURN_DATE		Date of Travel Return
SURVWEB_PARTY_TRAVEL	STATE		Traveled to State
SURVWEB_PARTY_TRAVEL	TRAVEL_LOCATION		Traveled Where (Instate, Out State, Out Country)
SURVWEB_PARTY_WEIGHT	TABLE COMMENTS: This entity captures weights for the person.		
SURVWEB_PARTY_WEIGHT	SURVWEB_PARTY_WEIGHT_ID	PK	System generated number to uniquely identify each instance (row) of the SURVWEB_PARTY_WEIGHT.
SURVWEB_PARTY_WEIGHT	SURVWEB_PARTY_ID	FK	Identifies the party the record is associated to.
SURVWEB_PARTY_WEIGHT	DATE_WEIGHED		Date Weighed
SURVWEB_PARTY_WEIGHT	ENTRY_DATETIME		Specifies date/time record was originally entered into system. Value derived from Database System date.
SURVWEB_PARTY_WEIGHT	ENTRY_USERID		Specifies user ID of the person who originally entered the record into system. Value derived from Database as the current user when signed on.

WEBSURV PROD tables and columns
 Party MViews
 SURVWEB_SURVWEB - Exact copies of Production tables

Table Name	Column Name	KEY	Column Comments
SURVWEB_PARTY_WEIGHT	LAST_CHANGED_DATETIME		Specifies date/time record was last changed in system. Value derived from Database System date.
SURVWEB_PARTY_WEIGHT	LAST_CHANGED_USERID		USERID of the person who made the last change to the record.(row).
SURVWEB_PARTY_WEIGHT	WEIGHT		Weight (Numeric)
SURVWEB_PARTY_WEIGHT	WEIGHT_UNIT		Unit for Weight (lbs)