

## Field Record Entry/Condition Screen

---

### I. TreeView

#### Add STD Field Records to the TreeView

This node is only visible when the user has an STD role. The treeview below is based on a user that has all roles (CD, TB, Hep B, STD)

#### PERSON NAME

- Locators

  - Addresses

  - Telephone

  - Email Addresses

- Alternate Contacts

- History

- Provider Roles

- Vaccinations

- Hep B Case Management

  - Case Management

    - Tests

    - Resolutions

    - List CM Notes

- STD Field Records (this is a listing of Field Records)

  - FR 1233454667

    - Tests/Treatments

    - HIV Information (only visible if one of the conditions is HIV or if one of the conditions has and HIV status of 02, 03, 04, or 05)

    - List FR Notes

#### CONDITIONS

  - Add Condition*

  - GIARDIASIS

  - SYPHILIS

    - Condition History

    - Tests

    - Treatments

    - Associated Field Records

    - Interview Record

    - Symptoms

    - Treatments

    - HIV Status

    - Resolution

    - List Condition Notes

    - Confirmation

  - GONORRHEA

## Field Record Entry/Condition Screen

### II. Screen Prototype for Field Record Entry/Update

#### STD/HIV Field Record for LAST, FIRST (Party ID: 122333233)

Date of Birth: 09/25/1987 Sex: FEMALE Race: WHITE Current Gender: MALE

	<a href="#">Person Addresses</a> <a href="#">Remove</a>
Address: *	800 East High Jefferson City, MO 65101 Cole
Description of Person:	<input type="text" value="Describe (Height, Size/Build, Hair, Complexion)"/>
Employment Information:	<input type="text" value="Place of Employment, Hours of Work, Phone Number"/>
Other Information:	<input type="text" value="Other identifying, locating information"/>
Interview Only FR: *	YES <input type="checkbox"/>
Initiating Agency: *	<input type="text" value="AGENCY"/> Investigating Agency: * <input type="text" value="AGENCY"/>

#### Worker Assignments:

Validation Message returned here at Add to List.

Date Assigned:       Worker Number:       [Add to List](#)   [Clear](#)

	<a href="#">Date Assigned</a>	<a href="#">Worker Number</a>	<a href="#">Entry Date</a>	<a href="#">Entered By</a>
<a href="#">Edit</a> <a href="#">Remove</a>	03/02/2011	124	03/03/2011	BUSCHM
<a href="#">Edit</a> <a href="#">Remove</a>	01/14/2011	100	1/15/2011	BUSCHM

#### Conditions for Field Record (These questions are needed for each condition)

##### Three ways to enter CONDITIONS for Field Record

- If the FR is on the OP – (FR OP)
  - REACTOR or FOLLOW UP selected in Referral Basis.
  - Disable OP Known and Condition Name
  - [Select](#) link should be enabled for condition – will return list of conditions for the person. Select the condition id and enter other information and add to list. (Repeat for multiple conditions)

##### REACTOR or FOLLOWUP (OP Known and Condition Name is disabled)

Referral Basis: *	<input type="text" value="REACTOR"/>		
OP Known:	<input type="text"/>	Condition Name:	<input type="text"/>
Condition: *	<a href="#">Select</a> <a href="#">Remove</a>		
	<input type="text" value="SYPHILIS CID 1237467897"/>	Date Recd by PH:	<input type="text" value="07/08/2010"/>

[Select](#) will bring up listing of conditions that are not CLOSED.

#### Conditions for LAST, FIRST (Party ID: 122333233)

<a href="#">Condition ID</a>	<a href="#">Condition Name</a>	<a href="#">Latest Resolution</a>	<a href="#">Entry Date</a>	<a href="#">Entered By</a>
<a href="#">8937498340</a>	GONORRHEA	ACTIVE	05/26/2010	<a href="#">BUSCHM</a>
<a href="#">7897987696</a>	SYPHILIS	REOPENED	05/26/2010	<a href="#">BUSCHM</a>

## Field Record Entry/Condition Screen

### Three ways to enter CONDITIONS for Field Record

2. If the FR is on a Partner, Contact, Associate and the OP is known – hit the [search](#) which returns the Person Search Screen, search for the OP and then select the condition id and enter other information and add to the list. (FR PARTER)
  - Anything other than REACTOR or FOLLOW UP selected in Referral Basis.
  - Enable OP Known. If no, enable Condition Name. If yes, disable Condition Name and enable [Search](#) link.
  - [Search](#) will return the Person Search Screen, search for the OP and then select the condition id and enter other information and add to the list. (Repeat for multiple conditions)

**PARTNER, ASSOCIATE, CONTACT, MARGINAL (If OK Known is YES, then user will search and select condition.**

Referral Basis: *	PARTNER  v	Condition Name:	v
OP Known:	YES  v		
	<a href="#">Search</a> <a href="#">Remove</a>		
Condition: *	SYPHILIS CID 1237467897	Date Recd by PH:	07/08/2010  v

[Search](#) will bring up:

Search Person					
Last Name:	LAST  v	First Name:	v		
Date of Birth:	07/08/2010  v	Condition ID:	1234343434  v		
Party ID:	8937489087  v	<a href="#">Search</a>			
<a href="#">Condition Name</a>	<a href="#">Condition ID</a>	<a href="#">Status</a>	<a href="#">Jurisdiction (M)</a>	<a href="#">Name</a>	<a href="#">Date of Birth</a>
<a href="#">SYPHILIS, PRIMARY</a>	8937498340	CONFIRMED	COLE	<a href="#">LAST, FIRST</a>	3/2/2000
<a href="#">HIV, ADULT</a>	7897987696	PROBABLE	ST LOUIS CITY	<a href="#">LAST, ANOTHER</a>	11/15/1985

## Field Record Entry/Condition Screen

### Three ways to enter CONDITIONS for Field Record

3. If the OP is NOT known, - enter the condition name and enter other information and add to the list. (FR\_COND\_ONLY)
  - Anything other than REACTOR or FOLLOW UP selected in Referral Basis.
  - Enable OP Known. Enter NO in OP Known. Condition Name is enabled and required when OP Known is YES

**PARTNER, ASSOCIATE, CONTACT, MARGINAL (If OK Known is NO, then user will select the condition name from the listing.**

Referral Basis: *	PARTNER  v	Condition Name:	SYPHILIS  v
OP Known:	NO  v	Date Recd by PH:	v
Condition: *	v		

NOTE: Store value in table that will identify the field record condition type. (FR OP, FR PARTER, FR\_COND\_ONLY)

### CONDITION INFORMATION (These questions are needed for each condition) (continued)

Date Initiated: *	07/08/2010  v	Pregnant at Initiation:	YES  v
Worker Number: *	023  v	Out State Jurisdiction:	KS  v
Identified Out of MO: *	YES  v	Other HIV Status	SOMETHING  v
HIV Status:	02  v	Internet Outcome:	INFORMED PATIENT OF URGENT HEALTH MATTER  v
Type Interview:	ORIGINAL INTERVIEW  v	Date of Interview:	07/08/2010  v
Type Referral:	PATIENT (CLIENT)  v	Last Exposure:	07/08/2010  v
First Exposure:	07/08/2010  v	Frequency:	SOMETHING  v
Disposition Date:	07/08/2010  v	Disposition:	PREVENTIVE TREATMENT  v
Other Disposition:	v		

[Add to List](#)   [Clear](#)

	<a href="#">Condition</a>	<a href="#">Referral Basis</a>	<a href="#">Date Initiated</a>	<a href="#">Disposition</a>	<a href="#">Dispositio n Date</a>	<a href="#">Entry Date</a>	<a href="#">Entered By</a>
<a href="#">Edit</a> <a href="#">Remove</a>	GONORRHEA	FOLLOW UP	02/01/2011	PREVENTIVE TREATMENT	03/02/2011	2/4/2010	BUSCHM
<a href="#">Edit</a> <a href="#">Remove</a>	SYPHILIS CID 1237467897	REACTOR	02/05/2011			05/26/2010	BUSCHM

**NOTES:**

**Save**

**Cancel**

[Print](#)

## Field Record Entry/Condition Screen

---

- III. **Confirmation** (Pop Up at Save) – The record is not saved until you hit the save on the confirmation screen.

### Field Record Confirmation

**Name:** Last, First  
**Date of Birth:** 07/08/1998  
**Survweb Party ID:** 1234347834  
**Survweb Field Record ID:** 2789348739  
**Condition Names:** SYPHILIS, GONORRHEA  
**Jurisdiction:**    
**Entry Date:** 03/03/2011

If jurisdiction can only be one value, populate with the value. If it can be one of many values (Kansas City, Independence, Joplin City – allows user to select the City or the County of the address associated to the record)

### IV. Edit/Update Field Record Screen-Jurisdiction Based Security

- a. Determine if field record should be visible for the user – Does the user have access to the jurisdiction for this field record.
- b. If READ ONLY is NO, when the screen initially displays, then make VISIBLE all [Edit](#), [Add to List](#), [Clear](#), [Remove](#) links and the  button at the bottom of the right frame screen. (all field record screens – 1. Field Record, 2. Tests/Treatments, 3. HIV Information.)
- c. If READ ONLY is YES, when the screen initially displays, then make INVISIBLE all [Edit](#), [Add to List](#), [Clear](#), [Remove](#) links and the  button at the bottom of the right frame screen. (all field record screens – 1. Field Record, 2. Tests/ Treatments, 3. HIV Information.)

### V. Screen Display


- Lock Entry Fields
  - No Wrap
  - Yellow Space is added to right of fields/labels (not in the middle or left)
- Grids set to 100% of full page
- Add to List and Clear set to top right most of grid
- Subheader titles (if needed) are bold
- No borders on sections/tables
- The tab order should default as top to bottom left to right unless otherwise stated.

## Field Record Entry/Condition Screen

---

### VI. Entry of records for GRIDS

- a. After information has been entered into the entry fields
  - i. When click a [Clear](#) link, 1) clear out the entry fields in that section and 2) clear out error messages in that section.
  - ii. When click an [Add to List](#) link, validate the entry fields in that section and their combinations.
    1. If passes validation,
      - a. Add those items to the grid in a new row that has a [Remove](#) link sorted the same as prior to clicking the link and
      - b. Clear out the entry fields in that section and
      - c. Clear out error messages in that section.
    2. If fails validation, display the error messages above the entry fields in that section.
  - iii. When click a [Remove](#) link, display the following popup.




1. If click, **OK**,
  - a. Remove the row from the grid display and
  - b. Clear out the entry fields in that section and
  - c. Clear out error messages in that section.
2. If click **Cancel**, then do not remove the row from the grid display and do not clear any entry fields or error messages.

### VII. Edit/Remove of records for GRIDS

- a. When click an [Edit](#) link to edit a record
  - i. Clear out error messages in that section
  - ii. Display the information for that row in the entry fields
  - iii. Hide its Add to List and Clear links
  - iv. Show its Replace and Cancel link instead in the row
  - v. Hide the Edit and Remove links in that row
- b. When click [Replace](#) link to replace a record, do the same as when click [Add to List](#) link, but if it passes validation then show its [Add to List](#) and [Clear](#) links and hide its [Replace](#) link.
- c. When click [Cancel](#) link to cancel edit of a record, do the same as when click the Clear link. Then show its Add to List and Clear links and hide its Replace link.
- d. When click a [Remove](#) link, display the following popup.

## Field Record Entry/Condition Screen

---



- i. If click, **OK**,
  1. Remove the row from the grid display and
  2. Clear out the entry fields in that section and
  3. Clear out error messages in that section.
- ii. If click **Cancel**, then do not remove the row from the grid display and do not clear any entry fields or error messages.

### VIII. Validate the following:

- b. The page displays as per web standards
- c. Display on Grids
  - i. Before Save of Record – Display
    1. [Remove](#)
    2. [Edit](#)
  - ii. After Save of Record – Display
    1. Update and QA Role – [Edit](#)
    2. Admin Role – [Remove](#) and [Edit](#)
- d. Drop down lists are loaded correctly:
  - Interview Only FR – List Name: Yes No  
YES, NO
  - OP Known – List Name: Yes No  
YES, NO
  - Condition Name (only if OK KNOWN is NO)  
100-Chanroid  
300-Gonorrhoea  
200-Chlamydia  
700-Syphilis (Do you want all the stages? – YES)  
710-Primary Syphilis  
720-Secondary Syphilis  
730-Early Latent Syphilis  
740-Unknown Late Syphilis  
745-Late Latent Syphilis  
750-Congenital Syphilis  
900-HIV  
950-AIDS
  - Referral Basis – List Name: Referral Basis  
T1-REACTOR,  
F-FOLLOW UP,  
P1-SEX PARTNER,  
P2-NEEDLE SHARING PARTNER,  
P3-BOTH SEX & NEEDLE SHARING PARTNER,

## Field Record Entry/Condition Screen

---

S1-SOCIAL CONTACT WITH SYMPTOMS,  
S2-SOCIAL CONTACT SEX PARTNER TO INFECTED PERSON,  
S3-SOCIAL CONTACT OTHERS THAT WOULD BENEFIT FROM  
EXAM,

A1-ASSOCIATE WITH SYMPTOMS,  
A2-ASSOCIATE SEX PARTNER TO INFECTED PERSON,  
A3-ASSOCIATE OTHERS THAT WOULD BENEFIT FROM EXAM  
M-MARGINAL

(Marginal not enough to open a field record. Works just like partner.)

- Type Interview (This question only answered for PARTNERS/CONTACTS/ ASSOCIATES ) List Name: Interview Type
  - O-Original Interview
  - R-Re Interview
  - C-Cluster interview
  - P-Posttest Counseling Session
  - U-Unable to Interview
- Type Referral (This question only answered for PARTNERS/CLUSTERS ) List Name: Referral Type
  - 1-Patient (Client)
  - 2-Provider
  - 3-Dual
  - 4-Contract
  - 5-Third Party
- Pregnant at Initiation (only if person is Female) – List Name: Pregnant at Diagnosis where filter value is null.
  - YES
  - NO
  - UNKNOWN
  - NOT ASKED
- Identified Out of Mo – List Name: Yes No
  - YES
  - NO
- Out of State Jurisdiction
  - Listing of all US states and territories (Shared by all MOHSAIC applications)
- HIV Case Status – List Name: HIV Case Status
  - HIV Negative Result – 01
  - New HIV Case requiring partner services – 02
  - Prior positive HIV, new partner services, not previously known to HD – 03
  - Prior positive HIV, new partner services, other STD infection or pregnancy – 04
  - Prior positive HIV, new partner services, contact to STD or HIV case – 05
  - Other – 06
  - Unknown -09

## Field Record Entry/Condition Screen

---

- Frequency  
Free text – no reporting on this field.
- Internet Outcome – List Name: Internet Outcome  
Informed patient of urgent health matter – I1  
Informed patient of general disease exposure – I2  
Informed patient of disease-specific exposure – I3  
Demographics known, traditional follow up – I4  
Unknown outcome – I5  
Not enough info to begin investigation – I6
- Initiating Agency / Investigating Agency – List Name: Agencies  
Need list
- Worker Numbers – ACTIVE numbers will be included for entry;  
INACTIVE will be included for edit (because of converted records).  
Admin Screen/Table being developed
- Disposition – List Name: Disposition – filtered by condition – filter value  
contains condition name.

Disposition	Visible for:
A-Preventive Treatment	STD
B-Refused Preventative Treatment	STD
C-Infected, Brought to Treatment	STD
D-Infected, Not Treated	STD
E-Previously Treated for this Infection	STD
F-Not Infected	STD
G-Insufficient Information to Begin Investigation	STD, HIV
H-Unable to Locate	STD, HIV
I-Successful Interview/Recounsel	STD, HIV
J-Located, Not Examined and/or Interviewed	STD, HIV
K-Sent Out of Jurisdiction	STD, HIV
L-Other (Do we need an OTHER DISPOSITION field?)	STD, HIV
Q-Administrative Closure	STD, HIV
V-Domestic Violence Risk	STD, HIV
X-Patient Deceased	STD, HIV
Z-Previous Preventative Treatment	STD
1-Previous Positive	HIV
2-Previous Negative, New Positive	HIV
3-Previous Negative, Still Negative	HIV
4-Previous Negative, Not Re-Tested	HIV
5-Not Previously Tested, New Positive	HIV
6-Not Previously Tested, New Negative	HIV
7-Not Previously Tested, Not Tested Now	HIV

- e. Display lists as follows:
- i. Worker Assignments (Date Assigned, Worker Number, Entry Date, Entered By)
  - ii. Conditions Grid (Condition, Referral Basis, Date Initiated, Disposition, Disposition Date, Entry Date, Entered By)

## Field Record Entry/Condition Screen

---

- f. Sort list as follows:
  - i. Worker Assignments (Date Assigned Descending)
  - ii. Conditions Grid (Condition Name Ascending)
- g. Text Boxes - (Description, Employment, Other Information, Frequency, Other Disposition, Other HIV Status)
  - i. All text boxes transform text to uppercase on entry
  - ii. Trim all spaces from the beginning and end of textbox text before checking it for errors and before storing it in the database
- h. When the user scrolls, save the position. When the screen reloads, use the latest scroll position to redisplay the screen in the same position as it was before the reload.
- i. Date Fields: (Date Assigned, Date Initiated, Date of Interview, First Exposure, Last Exposure, Disposition Date)
  - i. Display should include label, entry field, calendar icon, and format [Label:   (mmddyyyy) ]
  - ii. The calendar controls works correctly.
  - iii. Display “Invalid Date“ to the right of the Date field that is not a valid date (i.e. does not have a valid month day year combination) as soon as the user leaves the field. Earliest valid date is 01011800.
  - iv. Date fields - listed above – 8 (must have day in this date so it must be exactly 8 digits)
  - v. When click the calendar icon and select a date, keep the cursor on the date field so the user can tab to the next field.
  - vi. Only allow entry of numbers (no characters)
- j. No more than the maximum number of characters can be entered into the following fields:
  - i. Description - 64
  - ii. Employment - 64
  - iii. Other Information - 64
  - iv. Other HIV Status - 64
  - v. Frequency - 64
  - vi. Other Disposition - 64
- k. The following error messages display in the order of the fields on the screen if applicable when the user clicks [Add to List](#) or the **Save** button:
  - AT SAVE VALIDATIONS**
    1. Address is required.
    2. Initiating Agency is required.
    3. Investigating Agency is required.
    4. At least one condition is required.
    5. At least one worker assignment is required.
  - AT ADD TO LIST - WORKER ASSIGNMENTS GRID**
    6. Date Assigned is required
    7. Worker Number is required.
    8. The current combination of Date Assigned and Worker Number is already in the grid.

## Field Record Entry/Condition Screen

---

9. Information has been entered to add to a list, click Add to List or Clear the information

### **AT ADD TO LIST - CONDITION GRID**

10. Referral Basis is required.

11. Select Condition is required when Referral Basis is Reactor or Follow up.

12. OP Known is required if Referral Basis is Partner, Contact, Associate, Marginal.

13. If OP Known is No, Condition Name is required.

14. If OP Known is Yes, Search and Select of Condition is required.

15. Date Initiated is required.

16. Date Initiated cannot be prior to person's date of birth

17. Date Initiated cannot be prior to Test Date (only when the OP is known).

18. Date Initiated cannot be a future.

19. Date of Interview cannot be prior to Date Initiated.

20. Date of Interview cannot be future date.

21. Identified Out of MO is required.

22. Out State Jurisdiction is required when Identified Out of Mo is Yes.

23. HIV Status is required when disposition is populated.

24. Other HIV Status is required when HIV Status is Other

25. Disposition is required is Disposition Date is populated.

26. Disposition Date is required if Disposition is populated.

27. Disposition Date cannot be a future date.

28. Disposition Date cannot be prior to Date of Birth

29. Disposition Date cannot be prior to Date Initiated.

30. Pregnant at Intiation is required when Disposition is populated.

31. All conditions associated to the FR must be on the same person.

32. The condition ID already exists in the grid.

33. Information has been entered to add to a list, click Add to List or Clear the information

### **IX. JavaScript Validations and Behaviors**

- a. The Condition Name/CID will not be a LINK until the association has been saved. At Saved, reload the STD Field Record screen instead of the data saved screen.
- b. If Referral Basis is REACTOR or FOLLOW UP, disable OP Known and Condition Name and enable [Select](#) link.
  - a. Also disable TYPE INTERVIEW, DATE INTERVIEW, FIRST EXPOSURE, LAST EXPOSURE, FREQUENCY (added 10/17/2011)
  - b. Referral basis cannot be edited after the FR condition has been saved.
- c. If OP Known is YES, then disable CONDITION NAME, make visible [Search](#) links.
- d. If OP Known is NO, then enable CONDITION NAME and make not visible [Search](#) links.
- e. If Referral Basis is PARTNER, enable Type Interview, Type Referral, First Exposure, Last Exposure, Frequency.

## Field Record Entry/Condition Screen

---

- f. If Referral Basis is ASSOCIATE or CONTACT or MARGINAL, enable Type Interview and Type Referral.
- g. Treeview – Do not display the Tests/Treatments node under the FR if the FR\_COND\_TYPE is “FR OP”. The OP should have the TESTS, TREATMENTS associated to the Condition.
- h. If Identified Out of Mo is YES, then enable Out State Jurisdiction
- i. If HIV Status is OTHER, then enable Other HIV Status
- j. If Disposition is other, then enable OTHER DISPOSITION.

### X. Buttons and Links

- a. Error Messages - Validation to display messages to the user will not be performed on Clear or Cancel links or on Cancel button
- b. Waiting - When click a link that will bring up another page, display a popup with the pyramid image and a message such as of "Working, please wait..." as per standards.
- c. When click the **Save** button, check
  - l. If passes validations, save to database and display Data Saved screen
  - m. If fails validations, return error message directly above the Save button that states **•Data has not been saved, see error messages above.**
- d. When click **Cancel** button, reload the screen
- e. [Select](#) Link will return the list of conditions for the person.
- f. [Search](#) Link will return the Person Search screen so the user may select the OP and then select the Condition.
- g. [Condition Name CID #](#) in the grid will be a link (after the FR is saved) and will take you to the Condition Record.

### XI. Print Field Record – REACTOR or FOLLOW UP - Application Crystal Report

- Show the associated conditions (SURVWEB\_CONDITION\_ID if available and coded diagnosis 200, 300, 700, 900 etc.)
- Show the tests for all associated conditions, grouped by condition and sorted descending by specimen date.
- Show the treatment information for associated conditions grouped by condition and sorted descending by start date.

### XII. Print Field Record – PARTNER, ASSOCIATE, CONTACTS – Application Crystal Report

- Show the associated conditions (SURVWEB\_CONDITION\_ID if available and coded diagnosis 200, 300, 700, 900 etc.)
- Show the tests for field record (not the conditions) and sorted descending by specimen date.
- Show the treatment information for field record (not the conditions) and sorted descending by start date.

## Field Record Entry/Condition Screen

---

### XIII. Database

- At save of confirmation screen, insert records into SURVWEB\_FIELD\_RECORD, SURVWEB\_FIELD\_RECORD\_COND, SURVWEB\_FIELD\_RECORD\_QA, SURVWEB\_FIELD\_RECORD\_JURISDICTION, SURVWEB\_FIELD\_RECORD\_WORKER and SURVWEB\_FIELD\_RECORD\_NOTE.

TABLE NAME: SURVWEB\_FIELD\_RECORD

Column	Description
SURVWEB_FIELD_RECORD_ID	PK
SURVWEB_PARTY_ID	Unique identifier for the person
FIELD_RECORD_LOCATOR_ID	Locator ID for the address associated to the field record
DESCRIPTION	Description of person
EMPLOYMENT_INFORMATION	Place of Employment, Hours of Work, Phone Number
OTHER_INFORMATION	Other identifying or locating information
INTERVIEW_ONLY_FR	Yes, No – if FR is interview only
INITIATING_AGENCY	Initiating Agency
INVESTIGATING_AGENCY	Investigating Agency
FIELD_RECORD_TYPE	FR_OP if it is a REACTOR or Followup; FR_PARTNER if it is a Partner, Contact, Associate; FR_COND_ONLY if the OP is unknown.
ENTRY_DATETIME	Datetime of entry (can't be null)
ENTRY_USERID	Userid of person entering case (can't be null)
LAST_CHANGED_DATETIME	Datetime when record was last changed
LAST_CHANGED_USERID	Userid of person who last changed the record.

TABLE NAME: SURVWEB\_FR\_CONDITION

Column	Description
SURVWEB_FR_CONDITION_ID	PK
SURVWEB_FIELD_RECORD_ID	FK link back to Field Record table.
REFERAL_BASIS	
OP_KNOWN	
CONDITION_NAME	
SURVWEB_CONDITION_ID	FK link back to condition
DATE_INITIATED	
DATE_REASSIGNED	

## Field Record Entry/Condition Screen

---

WORKER_NUMBER	
DATE_INTERVIEW	
PREGNANT_AT_INITIATION	
ID_OUT_OF_MO	
OUT_STATE_JURISDICTION	
HIV_STATUS	
HIV_STATUS_OTHER	
INTERNET_OUTCOME	
TYPE_INTERVIEW	
TYPE_REFERRAL	
EXPOSURE_FIRST	
EXPOSURE_LAST	
EXPOSURE_FREQUENCY	
DISPOSITION_DATE	
DISPOSITION	
DISPOSITION_OTHER	
ENTRY_DATETIME	Datetime of entry (can't be null)
ENTRY_USERID	Userid of person entering case (can't be null)
LAST_CHANGED_DATETIME	Datetime when record was last changed
LAST_CHANGED_USERID	Userid of person who last changed the record.

TABLE NAME: SURVWEB\_FR\_QA

Column	Description
SURVWEB_FR_QA_ID	PK
SURVWEB_FIELD_RECORD_ID	FK
QA_COMPLETE	Insert record with this set to NO at initial entry.
ENTRY_DATETIME	Datetime of entry (can't be null)
ENTRY_USERID	Userid of person entering case (can't be null)
LAST_CHANGED_DATETIME	Datetime when record was last changed
LAST_CHANGED_USERID	Userid of person who last changed the record.

TABLE NAME: SURVWEB\_FR\_JURISDICTION

Column	Description
SURVWEB_FR_JURISDICTION_ID	PK
SURVWEB_FIELD_RECORD_ID	FK
JURISDICTION	Set this to the jurisdiction from the address on the record.
ENTRY_DATETIME	Datetime of entry (can't be null)
ENTRY_USERID	Userid of person entering case (can't be null)

## Field Record Entry/Condition Screen

---

LAST_CHANGED_DATETIME	Datetime when record was last changed
LAST_CHANGED_USERID	Userid of person who last changed the record.

TABLE NAME: SURVWEB\_FR\_NOTE

Column	Description
SURVWEB_FR_NOTE_ID	PK
SURVWEB_FIELD_RECORD_ID	FK
NOTE_TEXT	
NOTE_TYPE	Where note was entered: FIELD RECORD, TEST OR TREATMENT, HIV INFORMATION
ENTRY_DATETIME	Datetime of entry (can't be null)
ENTRY_USERID	Userid of person entering case (can't be null)
LAST_CHANGED_DATETIME	Datetime when record was last changed
LAST_CHANGED_USERID	Userid of person who last changed the record.

TABLE NAME: SURVWEB\_FR\_WORKER

Column	Description
SURVWEB_FR_WORKER_ID	PK
SURVWEB_FIELD_RECORD_ID	FK
DATE_ASSIGNED	
WORKER_NUMBER	
ENTRY_DATETIME	Datetime of entry (can't be null)
ENTRY_USERID	Userid of person entering case (can't be null)
LAST_CHANGED_DATETIME	Datetime when record was last changed
LAST_CHANGED_USERID	Userid of person who last changed the record.